

世界华人消化杂志®

**WORLD CHINESE
JOURNAL OF DIGESTOLOGY**

Shijie Huaren Xiaohua Zazhi

2024 年 2 月 28 日 第 32 卷 第 2 期 (Volume 32 Number 2)



2 / 2024

ISSN 1009-3079



《世界华人消化杂志》是一本高质量的同行评议、开放获取和在线出版的学术刊物。本刊被国际检索系统《化学文摘(Chemical Abstracts, CA)》、《医学文摘库/医学文摘(EMBASE/Excerpta Medica, EM)》、《文摘杂志(Abstract Journal, AJ)》、Scopus、《中文科技期刊数据库(CSTJ)》和《超星期刊域出版平台(Superstar Journals Database)》数据库收录。



述评

- 97 中重型颅脑损伤患者继发应激性溃疡机制和防治策略研究进展
成杰, 蔡丽颖, 唐启群
- 102 内镜治疗肝硬化患者上消化道早癌的风险及处理策略
谭玉勇, 卿毓敏, 龚建, 刘德良
- 109 基于铁死亡探讨防治溃疡性结肠炎的机制
张尔馨, 郝微微, 王珠环, 时艺榕
- 116 早发性与晚发性结直肠癌临床特征比较及预后的分析
龙贤, 王悦, 简梓晴, 何琼

临床研究

- 123 CD155、TIGIT在胃肠神经内分泌肿瘤中的表达及与临床病理特征的关系
谢伟, 余松, 侯能易, 严力, 曹钦兴, 旦真甲, 袁兴梅, 陆河江, 刘杰, 庞明辉
- 134 Gal-1蛋白与胃癌临床病理特征以及预后的关系
潘铮昀, 武美玲, 张威

基础研究

- 141 CDH1基因对小鼠胃类器官生长和E-cadherin表达的作用机制
邵伟, 余友杰, 夏海娜, 郑优优, 孙展杭, 严皓哲
- 148 安胃汤抑制CAG大鼠PD-1/PD-L1信号轴免疫逃逸机制研究
陈丽, 宋泓燕, 谭程匀, 蒋姘影, 甘秀凤, 卜磊, 韦维, 林寿宁

荟萃分析

- 158 Meta分析评价钛夹辅助内镜下组织胶注射治疗胃静脉曲张的疗效
吕永才, 姚燕华, 雷静静

病例报告

- 166 PTCD引导下体外震波碎石联合ERCP治疗改道术后困难胆管结石2例
方梦蝶, 王月, 陈佳琦, 张筱凤

消 息

- 108 《代谢相关脂肪性肝病肝外并发症》书讯
115 《世界华人消化杂志》正文要求
133 《世界华人消化杂志》修回稿须知
170 《世界华人消化杂志》栏目设置

封面故事

本刊编委祁兴顺, 医学博士, 副主任医师, 北部战区总医院消化内科. 第四军医大学获得医学博士学位, 并在沈阳军区总医院完成博士后研究, 现为北部战区总医院消化内科主任. 主要研究方向为肝硬化、门静脉高压、门静脉血栓形成、Budd-Chiari综合征、肝细胞癌等病因、诊断及治疗. 2016年全军优秀博士学位论文获得者. 2019年第十二届辽宁省青年科技奖十大英才. 2022年联勤保障部队学科中坚人才、2022年度军队高层次科技创新人才工程青年科技英才.

本期责任人

编务 张砚梁; 送审编辑 张砚梁; 组版编辑 张砚梁; 英文编辑 王天奇;
形式规范审核编辑部主任 郭旭; 最终清样审核总编辑 马连生

世界华人消化杂志

Shijie Huaren Xiaohua Zazhi

吴阶平 题写封面刊名

陈可冀 题写版权刊名
(月刊)

创 刊 1993-01-15

改 刊 1998-01-25

出 版 2024-02-28

原刊名 新消化病学杂志

期刊名称

世界华人消化杂志

国际标准连续出版物号

ISSN 1009-3079 (print) ISSN 2219-2859 (online)

共同主编

党双锁, 博士, 教授, 研究员, 主任医师, 710004, 陕西省西安市, 西安交通大学医学院第二附属医院感染科

郭晓钟, 博士, 教授, 110840, 辽宁省沈阳市, 北部战区总医院消化内科

霍丽娟, 博士, 主任医师, 030001, 山西省太原市, 山西医科大学第一医院消化内科

江学良, 博士, 教授, 250001, 山东省济南市, 山东中医药大学第二附属医院消化中心

田艳涛, 博士, 教授, 主任医师, 100021, 北京市, 国

家癌症中心/中国医学科学院北京协和医学院肿瘤医院胰胃外科

王小众, 博士, 教授, 350001, 福建省福州市, 福建医科大学附属协和医院消化内科

姚登福, 博士, 教授, 226001, 江苏省南通市, 南通大学附属医院临床医学研究中心

张宗明, 博士, 教授, 100073, 北京市, 首都医科大学北京电力医院普外科

编辑委员会

编辑委员会成员在线名单, 详见:

[https://www.wjgnet.com/1009-3079/
editorialboard.htm](https://www.wjgnet.com/1009-3079/editorialboard.htm)

编辑部

王金磊, 主任

《世界华人消化杂志》编辑部

Baishideng Publishing Group Inc

7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA

Telephone: +1-925-3991568

E-mail: wcjd@wjgnet.com<http://www.wjgnet.com>

出版

百世登出版集团有限公司

Baishideng Publishing Group Inc

7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA

Telephone: +1-925-3991568

E-mail: bpgoffice@wjgnet.com<https://www.wjgnet.com>

制作

北京百世登生物医学科技有限公司
100025, 北京市朝阳区东四环中路
62号, 远洋国际中心D座903室
电话: +86-10-85381901

《世界华人消化杂志》是一本高质量的同行评议, 开放获取和在线出版的学术刊物. 本刊被国际检索系统《化学文摘(Chemical Abstracts, CA)》、《医学文摘库/医学文摘(EMBASE/Excerpta Medica, EM)》、《文摘杂志(Abstract Journal, AJ)》、Scopus、《中文科技期刊数据库(CSTJ)》和《超星期刊域出版平台(Superstar Journals Database)》数据库收录.

《世界华人消化杂志》正式开通了在线办公系统(<https://www.baishideng.com>), 所有办公流程一律可以在线进行, 包括投稿、审稿、编辑、审读, 以及作者、读者和编者之间的信息反馈交流.

特别声明

本刊刊出的所有文章不代表本刊编辑部和本刊编委会的观点, 除非特别声明. 本刊如有印装质量问题, 请向本刊编辑部调换.

定价

每期136.00元 全年12期1632.00元

© 2024 Baishideng Publishing Group Inc. All rights reserved.

Contents

Volume 32 Number 2 February 28, 2024

EDITORIAL

- 97 Pathogenic mechanism and preventive and therapeutic strategies for secondary stress ulcers in patients with moderate to severe traumatic brain injury
Cheng J, Cai LY, Tang QQ
- 102 Risk associated with endoscopic treatment of early upper gastrointestinal cancer in patients with liver cirrhosis and management strategies
Tan YY, Qing YM, Gong J, Liu DL
- 109 Mechanism of prevention and treatment of ulcerative colitis from the perspective of iron death
Zhang EX, Hao WW, Wang ZH, Shi YR
- 116 Comparison of clinical features and prognosis of early- and late-onset colorectal cancer
Long X, Wang Y, Jian ZQ, He Q

CLINICAL RESEARCH

- 123 Relationship between expression of CD155 and TIGIT and clinicopathological features in gastrointestinal neuroendocrine tumors
Xie W, Yu S, Hou NY, Yan L, Cao QX, Dan ZJ, Yuan XM, Lu HJ, Liu J, Pang MH
- 134 Expression of Galectin-1 protein in gastric cancer: Correlation with disease progression and prognosis
Pan ZY, Wu ML, Zhang W

BASIC RESEARCH

- 141 Mechanism of action of CDH1 gene on gastric organoid growth and E-cadherin expression in mice
Shao W, Yu YJ, Xia HN, Zheng YY, Sun ZH, Yan HZ
- 148 Mechanism for Anwei decoction to inhibit immune escape induced by programmed cell death protein 1/programmed cell death ligand 1 axis in rats with chronic atrophic gastritis
Chen L, Song HY, Tan CY, Jiang HY, Gan XF, Bu L, Wei W, Lin SN

META ANALYSIS

- 158 Efficacy of clip-assisted endoscopic cyanoacrylate injection therapy for gastric varices: A Meta-analysis
Lu YC, Yao YH, Lei JJ

CASE REPORT

- 166 Extracorporeal shock wave lithotripsy combined with endoscopic retrograde cholangiopancreatography under guidance of percutaneous transhepatic cholangiography drainage to treat difficult bile duct stones in patients with surgically altered anatomy: Report of two cases
Fang MD, Wang Y, Chen JQ, Zhang XF

Contents

World Chinese Journal of Digestology
Volume 32 Number 2 February 28, 2024

COVER

Editorial Board Member of *World Chinese Journal of Digestology*, Xing-Shun Qi, M.D., Vice Chief Physician, Department of Gastroenterology, General of Northern Theater Command, No. 83 Wenhua Road, Shenyang 110840, Liaoning Province, China. xingshunqi@126.com

Indexed/Abstracted by

Chemical Abstracts, EMBASE/Excerpta Medica, Abstract Journals, Scopus, CSTJ and Superstar Journals Database.

RESPONSIBLE EDITORS FOR THIS ISSUE

Assistant Editor: *Yan-Liang Zhang*

Review Editor: *Yan-Liang Zhang*

Production Editor: *Yan-Liang Zhang*

English Language Editor: *Tian-Qi Wang*

Proof Editor: *Xu Guo*

Layout Reviewer: *Lian-Sheng Ma*

Shijie Huaren Xiaohua Zazhi

Founded on January 15, 1993

Renamed on January 25, 1998

Publication date February 28, 2024

NAME OF JOURNAL

World Chinese Journal of Digestology

ISSN

ISSN 1009-3079 (print) ISSN 2219-2859 (online)

CO-EDITORS-IN-CHIEF

Shuang-Suo Dang, Professor, Department of Infectious Diseases, The Second Affiliated Hospital of Medical School of Xi'an Jiaotong University, Xi'an 710004, Shaanxi Province, China

Xiao-Zhong Guo, Professor, Department of Gastroenterology, North Theater General Hospital, Shenyang 110840, Liaoning Province, China

Li-Juan Huo, Chief Physician, Department of Gastroenterology, The First Hospital of Shanxi Medical University, Taiyuan 030001, Shanxi Province, China

Xue-Liang Jiang, Professor, Digestive Center of The Second Affiliated Hospital of Shandong University of Traditional Chinese Medicine, Jinan 250001, Shandong Province, China

Yan-Tao Tian, Professor, Chief Physician, National Cancer Center/Department of Pancreatic and Gastric Surgery, Cancer Hospital, Chinese Academy of Medical Sciences and Peking Union Medical College, Beijing

100021, China

Xiao-Zhong Wang, Professor, Department of Gastroenterology, Union Hospital, Fujian Medical University, Fuzhou 350001, Fujian Province, China

Deng-Fu Yao, Professor, Clinical Research Center, Affiliated Hospital of Nantong University, Nantong 226001, Jiangsu Province, China

Zong-Ming Zhang, Professor, Department of General Surgery, Beijing Electric Power Hospital, Capital Medical University, Beijing 100073, China

EDITORIAL BOARD MEMBERS

All editorial board members resources online at <https://www.wjgnet.com/1009-3079/editorialboard.htm>

EDITORIAL OFFICE

Jin-Lei Wang, Director

World Chinese Journal of Digestology

Baishideng Publishing Group Inc

7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA

Telephone: +1-925-3991568

E-mail: wjcd@wjgnet.com

<https://www.wjgnet.com>

PUBLISHER

Baishideng Publishing Group Inc

7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA

Telephone: +1-925-3991568

E-mail: bpgoffice@wjgnet.com

<https://www.wjgnet.com>

PRODUCTION CENTER

Beijing Baishideng BioMed Scientific Co., Limited Room 903, Building D, Ocean International Center, No. 62 Dongsihuan Zhonglu, Chaoyang District, Beijing 100025, China
Telephone: +86-10-85381901

PRINT SUBSCRIPTION

RMB 136 Yuan for each issue

RMB 1632 Yuan for one year

COPYRIGHT

© 2024 Baishideng Publishing Group Inc. Articles published by this open access journal are distributed under the terms of the Creative Commons Attribution Non-commercial License, which permits use, distribution, and reproduction in any medium, provided the original work is properly cited, the use is non commercial and is otherwise in compliance with the license.

SPECIAL STATEMENT

All articles published in journals owned by the Baishideng Publishing Group (BPG) represent the views and opinions of their authors, but not the views, opinions or policies of the BPG, except where otherwise explicitly indicated.

INSTRUCTIONS TO AUTHORS

Full instructions are available online at <https://www.wjgnet.com/1009-3079/Nav/36>. If you do not have web access, please contact the editorial office.

基于铁死亡探讨防治溃疡性结肠炎的机制

张尔馨, 郝微微, 王珠环, 时艺榕

张尔馨, 郝微微, 王珠环, 时艺榕, 上海中医药大学附属曙光医院 上海市 201203

张尔馨, 住院医师, 研究方向为中医药防治胃肠病.

基金项目: 国家自然科学基金, No. 81874450和81403362; 上海市中医优势病种培育建设项目, No. ZY(2018-20200-ZYBZ-03); 上海市中医诊疗模式创新试点建设项目, No. ZY(2018-20200-FWTX-6028).

作者贡献分布: 铁死亡的定义及特征相关文献由王珠环查阅; 铁死亡特征与溃疡性结肠炎相关文献由张尔馨查阅; 铁死亡的调控与溃疡性结肠炎中的应用相关文献由时艺榕查阅; 本论文写作由张尔馨和郝微微完成.

通讯作者: 郝微微, 主任医师, 201203, 上海市浦东新区张衡路528号, 上海中医药大学附属曙光医院. hwwwork@163.com

收稿日期: 2023-10-07

修回日期: 2023-12-02

接受日期: 2024-01-26

在线出版日期: 2024-02-28

Mechanism of prevention and treatment of ulcerative colitis from the perspective of iron death

Er-Xin Zhang, Wei-Wei Hao, Zhu-Huan Wang, Yi-Rong Shi

Er-Xin Zhang, Wei-Wei Hao, Zhu-Huan Wang, Yi-Rong Shi, Shuguang Hospital Affiliated to Shanghai University of Traditional Chinese Medicine, Shanghai 201203, China

Supported by: National Natural Science Foundation of China, No. 81874450 and No. 81403362; Project of Cultivation and Construction of Dominant Diseases of Traditional Chinese Medicine in Shanghai, No. ZY(2018-20200-ZYBZ-03); Shanghai TCM Diagnosis and Treatment Model Innovation Pilot Construction Project, No. ZY(2018-20200-FWTX-6028).

Corresponding author: Wei-Wei Hao, Chief Physician, Shuguang Hospital Affiliated to Shanghai University of Traditional Chinese Medicine, No. 528 Zhangheng Road, Pudong New Area, Shanghai 201203, China. hwwwork@163.com

Received: 2023-10-07

Revised: 2023-12-02

Accepted: 2024-01-26

Published online: 2024-02-28

Abstract

Ulcerative colitis (UC) is a chronic inflammatory bowel disease, the etiology and pathogenesis of which have not been fully clarified. As society develops and stress increases, the number of patients with UC continues to increase, especially in Asia. The risk of colorectal cancer is greatly increased in patients with UC compared to healthy individuals. Although the exact pathogenesis of the disease is currently unknown, studies have shown that it is closely related to a variety of factors, including the immune system, the environment, intestinal microecological balance, and genetics. Ferroptosis associated damage occurs in patients with UC and in models of UC, and is effectively alleviated with the use of ferroptosis inhibitors. Ferroptosis is a new form of regulatory cell death caused by iron overaccumulation and lipid peroxidation and is characterised by iron deposition, abnormal lipid peroxidation, and abnormal amino acid metabolism. This article reviews the three main features of ferroptosis to explore the mechanisms and strategies for the prevention and treatment of UC based on iron death.

© **The Author(s) 2024.** Published by Baishideng Publishing Group Inc. All rights reserved.

Key Words: Ferroptosis; Ulcerative colitis; Cell death

Citation: Zhang EX, Hao WW, Wang ZH, Shi YR. Mechanism of prevention and treatment of ulcerative colitis from the perspective of iron death. *Shijie Huaren Xiaohua Zazhi* 2024; 32(2): 109-115
URL: <https://www.wjgnet.com/1009-3079/full/v32/i2/109.htm>
DOI: <https://dx.doi.org/10.11569/wcjd.v32.i2.109>

摘要

溃疡性结肠炎(ulcerative colitis, UC)是一种慢性炎症性肠道疾病,其病因和发病机制尚未完全明确.随着社会

的发展和压力的增加, UC患者数量持续增加, 尤其是在亚洲, 且与健康个体相比, UC患者患结直肠癌的风险大大增加。虽然目前其具体发病机制尚不清楚, 但研究表明与免疫系统、环境、肠道微生态平衡、遗传等多种因素密切相关。UC患者体内与UC模型会发生铁死亡损伤, 且在运用铁死亡抑制剂后可有效缓解症状。铁死亡是一种新形式的调节性细胞死亡, 是由铁过度积累和脂质过氧化引起的, 其特征是铁沉积、脂质过氧化异常和氨基酸代谢异常。本文就铁死亡的三大特征探讨基于铁死亡防治UC的机制及治疗策略作一综述。

© The Author(s) 2024. Published by Baishideng Publishing Group Inc. All rights reserved.

关键词: 铁死亡; 溃疡性结肠炎; 细胞死亡

核心提要: 铁死亡是一种新型程序性细胞死亡方式, 其最显著的特征是铁沉积、脂质过氧化和氨基酸代谢, 三大特征均与溃疡性结肠炎(ulcerative colitis, UC)的发生发展密切相关, 极有可能为UC的治疗提供更多的方向。

文献来源: 张尔馨, 郝微微, 王珠环, 时艺榕. 基于铁死亡探讨防治溃疡性结肠炎的机制. 世界华人消化杂志 2024; 32(2): 109–115

URL: <https://www.wjgnet.com/1009-3079/full/v32/i2/109.htm>

DOI: <https://dx.doi.org/10.11569/wjcd.v32.i2.109>

0 引言

溃疡性结肠炎(ulcerative colitis, UC)是一种以反复发生的结肠黏膜慢性炎症和溃疡为特征的疾病, 其特征临床表现为排便次数增多并伴有黏液脓血便。UC病变部位大多侵犯至结肠黏膜和黏膜下层^[1]。到2023年, 全球UC的患病率估计将达到500万例, 并且全球范围内的发病率正在增加^[2-4]。目前的药物治疗主要目的集中于诱导缓解, 包括5-氨基水杨酸药物和糖皮质激素、生物制剂等。尽管药物选择性不断增多, 但仍有20%的患者需要接受直肠结肠切除术来治疗UC^[5]。因此UC的防治仍值得进一步探究。

越来越多的研究证据表明, 细胞死亡将成为UC的关键治疗靶点。细胞死亡是哺乳动物的发育、内环境稳态的维持以及疾病发生的重要环节之一, 其途径包括凋亡、自噬、细胞焦亡、铁死亡等。铁死亡最早于2012年由美国科学家Brent R. Stockwell及其团队首次提出和描述, 是一种由不受限制的脂质过氧化和随后的膜损伤引起的铁依赖性调节细胞死亡形式^[6]。在此, 我们进一步讨论了铁死亡在UC发病过程中的重要性, 并为UC的药理学靶点提供了新的视角和潜力。

1 铁死亡的定义及特征

铁死亡是一种新型程序性细胞死亡方式, 其本质是铁离子依赖的脂质过氧化产物超量蓄积引起的以线粒体改变为主的氧化损伤, 在细胞形态结构、生物学及遗传学表现上均不同于其他类型的细胞死亡^[6]。从形态上看, 铁死亡的特点是线粒体体积变小、线粒体嵴减少或消失、双层膜密度增加, 但细胞膜保持完整, 染色质和细胞核大小正常^[6-8]。从机制上讲, 铁死亡主要通过内外两条途径发生。内在途径主要通过阻断细胞内抗氧化酶的表达或活性, 如谷胱甘肽过氧化物酶4(glutathione peroxidase 4, GPX4)^[7,9,10]。外在途径主要通过抑制胱氨酸/谷氨酸反向转运体(cystine/glutamate antiporter, System Xc)^[11,12]或激活转铁蛋白(transferrin, TF)、转铁蛋白受体蛋白1(transferrin Receptor 1, TFR1)。铁死亡的特征是铁沉积、脂质过氧化和氨基酸代谢。

2 铁死亡特征与UC

2.1 铁沉积与UC 铁死亡的一个核心特征是其对细胞内铁的依赖性。正常情况下, 细胞需要铁元素来执行一系列生物学功能, 包括DNA合成、维生素和氨基酸代谢等^[13,14]。铁代谢是一个动态过程, 涉及铁的吸收、储存、利用和流出等多个步骤, TF、TFR1起关键作用^[15]。血清铁主要通过肠道吸收和TF的调控来维持稳定。在细胞外, 铁通常以稳定的Fe³⁺形式储存和运输, 进入细胞后则被还原金属酶还原为Fe²⁺^[16]。TFR1通过识别TF与血清中Fe³⁺的结合并形成络合物。铁蛋白(ferritin, Ferr)是一种重要的胞质铁储存蛋白, 可整合过量的游离铁, 具有抗铁死亡的作用^[17,18]。当细胞膜上的TFR1表达增加、Ferr及TF的表达减少时, 过量的游离Fe²⁺聚集在细胞质中失去平衡, 就会引发铁死亡。研究表明, 过量的Fe²⁺可通过芬顿反应引起细胞脂质过氧化代谢, 产生大量羟自由基和活性氧(reactive oxygen species, ROS)引起铁死亡, 对DNA、蛋白质和膜脂造成有害的氧化损伤^[19-21], 这可能是结肠炎的致病因素。

缺铁性贫血是UC常见的并发症之一。在UC中, 缺铁的最常见原因是肠黏膜炎症加剧, 胃肠道失血和吸收不良导致铁流失增加。铁调素是一种在肝脏中产生的肽激素, 在调节铁稳态方面发挥着关键作用。铁转运蛋白(ferroportin, FPN)能将铁转运到储存铁的细胞之外, 大量表达于肠细胞、巨噬细胞和肝细胞中, 而铁调素是其直接抑制剂^[22]。当FPN受抑制时, 铁输出受到抑制, 肠道吸收的铁难以转运到循环中, 其他细胞释放铁的过程也受到抑制, 从而导致血清中铁含量降低^[23]。一些临床研究已经观察到, 在UC患者的肠道组织中, 存在异常的

铁积聚^[24]。还有一些研究还发现,与铁代谢和铁调控相关的基因在UC患者中可能表现出异常,导致铁在肠道内的不平衡,从而促进铁死亡的发生。遗传性血色病沉着病是一种基因突变导致的铁过载疾病,其特征是近端肠道中铁吸收增加。血色病Hfe^{-/-}小鼠的结肠组织中丙二醛(malondialdehyde, MDA)升高,表现出更严重的疾病症状,且更容易发生实验性结肠炎^[25-27]。实验发现,铁死亡的特异性抑制剂铁他汀-1(ferrostatin-1, Fer-1)、铁死亡抑制剂利普司他丁-1(lipoxstatin-1, Lip-1)、铁螯合剂去铁酮(deferiprone, DFP)和抗氧化剂丁基羟基茴香醚,均可改善葡聚糖硫酸钠盐(dextran sulfate sodium salt, DSS)诱导的结肠炎^[24,28]。这可能是一种有前途的UC治疗策略。

2.2 脂质代谢异常与UC 细胞膜的脂质双层结构直接决定生物膜的特性,对于维持膜功能的完整性至关重要^[29]。脂质过氧化是铁死亡执行过程的中心环节,作用位点为细胞膜与细胞器膜磷脂上的脂质,主要为易受氧化的多不饱和脂肪酸,造成质膜完整性的破坏^[30,31]。多不饱和脂肪酸(polyunsaturated fatty acid, PUFA)是细胞膜的关键成分,在细胞中具有多种功能,作为细胞膜的结构“构件”、能量供应者,甚至作为信号分子,优先被活性自由基氧化。PUFAs,特别是花生四烯酸和肾上腺酸极易被过氧化^[32,33]。酰基辅酶A合成酶长链家族成员4(acyl-CoA synthetase long-chain family member 4, ACSL4)催化游离AA/ARA到CoA的生化反应,形成AA/ARA-CoA衍生物,然后激活其酯化为磷脂。溶血磷脂酰胆碱酰基转移酶3(recombinant lysophosphatidylcholine acyltransferase 3, LPCAT3)催化AA/AdA-CoA和膜PE的生物合成,形成AA/AdA-PE。最后,脂氧合酶(lipoxygenase, LOXs)将AA-PE和AdA-PE氧化为铁死亡信号(PE-AA-OH和PE-AdA-OOH)^[34-36]。在UC患者的结肠黏膜中PUFAs的磷脂(PUFA-PLs)显著升高^[37]。ACSL4在UC患者的回肠和结肠以及DSS诱导的UC小鼠中显著上调,促进铁死亡^[28]。此外,ACSL4-siRNA Caco2细胞可免受缺氧/复氧诱导的脂质过氧化和细胞死亡^[38]。调查显示,人群中炎症性肠病(inflammatory bowel disease, IBD)发病率的增加与富含PUFA的西方饮食有关^[39]。实验表明^[40],喂食小鼠富含PUFA的西式饮食加速了肠上皮细胞中性粒细胞和单核细胞的局部浸润。因此,低脂饮食可能是UC患者抑制铁死亡反应的安全且有益的策略。

2.3 氨基酸代谢异常与UC System Xc⁻-GSH-GPX4轴对铁死亡的抑制作用已被广泛接受。铁死亡的表现之一是GPX4的失活和谷胱甘肽(glutathione, r-glutamyl cysteinyl +glycine, GSH)的消耗,这是修复脂质氢过氧化物引起的细胞膜损伤和清除ROS的最重要的抗氧化途径^[41]。System Xc⁻由两个蛋白质亚基SLC7A11和SLC3A2组成,

是一种氨基酸转运蛋白^[42,43]。胱氨酸通过System Xc⁻从细胞外空间转运到细胞内,随后通过硫氧还蛋白还原酶1转化为半胱氨酸(cysteine, Cys)。GSH通常被称为人体的主要抗氧化剂。GSH是GPX4的重要辅助因子,可促进GPX4将有氧的磷脂氢过氧化物还原为无毒的磷脂醇,充当中枢铁死亡抑制剂^[10,44]。当细胞内System Xc⁻活性降低时,Cys含量减少、GSH消耗和GPX4活性降低,导致脂质过氧化引起的铁死亡。同时,CoQ氧化还原酶铁死亡抑制蛋白1(ferroptosis suppressor protein 1, FSP1)与GPX4并行抑制铁死亡。FSP1可将细胞膜上的泛醌还原为泛醇,并作为自由基捕获抗氧化剂,防止细胞膜上的脂质过氧化^[9,45,46]。这两者都作为抗氧化剂来抑制脂质过氧化。研究发现,与健康对照相比,UC患者中GPX4的基因和蛋白表达均降低^[47]。在DSS诱导的UC模型中,GPX4表达显著降低,ACSL4表达升高,结肠组织中铁丰度和脂质过氧化水平增加,线粒体受损^[48]。研究发现,富含PUFA的饮食会使IEC特异性Gpx4^{+/-}小鼠诱发局灶性肠炎。更引人注目的是,与野生型同窝小鼠相比,IEC Gpx4^{+/-}小鼠更易患有DSS诱导的实验性结肠炎^[39]。

ALOX催化脂质氢过氧化物的产生并驱动铁死亡^[49]。已有研究表明^[50,51],在IBD患者和UC小鼠模型中,ALOX5和ALOX15的表达水平平均显著上调。而ALOX15^{-/-}可减轻DSS诱导的UC小鼠的疾病症状,抑制脂质过氧化代谢物的产生。相反,ALOX15基因过表达小鼠更易患有DSS诱导的实验性结肠炎^[52]。磷脂酰乙醇胺结合蛋白1(recombinant phosphatidylethanolamine binding protein 1, PEBP1)是ALOX15的主要调节分子,与IBD严重程度呈正相关。Lin等^[53]发现,PEBP1缺乏可保护小鼠免受DSS或TNBS诱导的实验性结肠炎,并加速损伤粘膜的恢复。这些研究表明ALOX在UC的发病中起关键作用。

还原型烟酰胺腺嘌呤二核苷酸磷酸(nicotinamide adenine dinucleotide phosphate hydride, NADPH)是烟酰胺腺嘌呤二核苷酸磷酸(nicotinamide adenine dinucleotide phosphate, NADP)的还原形式,是所有生物体中必需的电子供体。NADPH的产生主要依赖于磷酸戊糖途径^[54]。许多铁死亡调节剂,例如GPX4、AIFM2、NOX和POR,使用NADP/NADPH系统来调节电子转移^[55,56],较高水平的NADPH或较低的NADP/NADPH比率可促进对铁死亡的抵抗^[57]。

3 铁死亡的调控与UC中的应用

目前,铁死亡的调控主要依靠其诱导剂和抑制剂。铁死亡诱导剂具有不同的作用机制。Erastin及其类似物、柳氮磺吡啶、索拉非尼可抑制System Xc⁻的功能,而RSL3、1,2-二氧戊环、茄碱则抑制GPX4活性。丁硫氨

酸亚磺酰亚胺消耗细胞内GSH. 铁霉素、蒿甲醚、硫酸亚铁铵和氯化亚铁会促进活铁超负荷. 铁死亡的抑制剂分为两类, 一类抑制铁的积累, 如DFO、甲磺酸去铁胺、2,2'-吡啶. 另一类抑制脂质过氧化, 如铁他汀-1(ferrostatin-1, Fer-1)、利普司他丁-1(liproxstatin-1, Lip-1)、维生素E等. 柳氮磺吡啶属于传统的氨基水杨酸制剂, 口服后能够在UC患者的肠道菌群中作用, 代谢后可生成5-ASA和磺胺吡啶, 抑制前列腺素合成、释放, 抵抗肠黏膜脂肪酸氧化, 降低肠道通透性, 进而达到减少炎症浸润的目的, 但是用药以后不良反应发生率相对较高, 对患者的整体生活质量产生一定的影响, 不能用于维持治疗^[58]. Fer-1、Lip-1是铁死亡特异性抑制剂, 目前较多运用于UC铁死亡相关实验研究中. 其余大多数化合物在UC中的作用靶点和潜在应用仍有待深入了解.

除了小分子抑制剂外, 一部分中药单体、单药、复方也展现出对铁死亡的抑制作用, 以治疗UC. 核因子E2相关因子2(nuclear factor erythroid 2-related factor 2, Nrf2)是一种转录因子, 在抗氧化过程中发挥着关键作用^[59]. 当胞内抗氧化剂被ROS耗尽时, Nrf2易位到细胞核, 驱动血红素氧合酶1(heme oxygenase-1, HO-1)转录^[60]. Chen等^[28]研究发现, 阻断Nrf2/HO-1信号通路可抑制铁死亡并有效改善DSS诱导的UC. Chen等^[61]研究结果确定了黄芪多糖通过抑制NRF2/HO-1通路在实验性结肠炎小鼠模型和人Caco-2细胞中达到预防铁死亡的新作用. 仙茅苷是仙茅中的天然成分, Wang等^[62]发现仙茅苷可以增加IEC-6细胞的硒敏感性并促进GPX4转录水平, 可通过诱导GPX4来预防UC中的铁死亡. 姜烯酮A是一种生姜提取物, Zhu等^[63]研究表明, 姜烯酮A可以减轻DSS诱导的结肠炎小鼠中的铁死亡, 其保护作用与激活Nrf2-Gpx4信号通路有关. 原儿茶酸(protocatechuic acid, PCA)是一种常见的天然小分子酚酸化合物, 并且是很多中药(如丹参、芙蓉等)中的有效活性成分. Yang等^[64]发现PCA可通过调节肠道菌群和铁死亡来预防UC. Yokote等^[65]研究发现青黛治疗后增加了UC患者粘膜中的抗氧化基因, 结肠组织中还原型谷胱甘肽、CYP1A1和GPX4的蛋白表达增加. 探索发现青黛的主要成分靛玉红和靛蓝也具有抑制铁死亡的作用. 葛根芩连汤是UC的经典方剂, Wang等^[66]发现葛根芩连汤可显著改善铁死亡标志物(铁负荷、MDA、GSH和线粒体形态)的水平以及铁死亡相关蛋白(GPX4、SLC7A11和ACSL4)的表达. 葛根芩连汤可以通过抑制铁死亡来防止结肠损伤和肠上皮屏障功能障碍. Hu等^[67]发现芍药甘草汤可通过下调结肠组织中的铁死亡来预防UC.

4 结论

近年来, 作为一种全新的调节性细胞死亡方式, 铁死亡

在多个领域取得了广泛的进展, 研究证实铁死亡在多种人类疾病的发生或进展中具有病理学意义, 如多种肿瘤、神经退行性变、急性肾损伤、缺血/再灌注损伤、炎症性疾病等. UC是一种慢性非特异性的肠道炎症, 主要累及结肠和直肠, 多呈反复发作, 临床表现为腹痛、腹泻、里急后重、黏液脓血便等. 铁死亡的主要特征已在UC患者和动物模型的结肠组织中广泛观察到. 铁死亡在UC的发病机制和进展中起着重要作用. UC通常伴随着肠道内的炎症和溃疡. 肠道上皮细胞的受损可能干扰正常的铁吸收和利用. 反复的肠道炎症导致释放多种炎症介质, 这些介质可能干扰铁代谢和调控. UC患者可能经历反复的肠道出血, 这可能会导致铁的丧失, 慢性失血可能导致铁缺乏性贫血, 进一步影响铁代谢和利用. 铁死亡通常涉及氧化应激反应, 这可能加剧UC的炎症和肠道损伤. 脂质过氧化物的生成也会损害肠道黏膜的完整性, 进一步加剧UC的病理生理过程. 本文通过深入研究铁代谢、脂质过氧化等方面的机制, 认识到铁死亡与UC关系密切, 更好地理解UC的发病机制, 为这一疾病的治疗手段提供了新的线索. 但铁死亡可能只是UC病理生理复杂性的一部分, 仍然需要进一步的研究来确认这一关联, 以及铁死亡在该疾病的确切作用机制, 为UC治疗的新靶点提供更有力的支持.

5 参考文献

- Conrad K, Roggenbuck D, Laass MW. Diagnosis and classification of ulcerative colitis. *Autoimmun Rev* 2014; 13: 463-466 [PMID: 24424198 DOI: 10.1016/j.autrev.2014.01.028]
- Le Berre C, Honap S, Peyrin-Biroulet L. Ulcerative colitis. *Lancet* 2023; 402: 571-584 [PMID: 37573077 DOI: 10.1016/S0140-6736(23)00966-2]
- Kontola K, Oksanen P, Huhtala H, Jussila A. Increasing Incidence of Inflammatory Bowel Disease, with Greatest Change Among the Elderly: A Nationwide Study in Finland, 2000-2020. *J Crohns Colitis* 2023; 17: 706-711 [PMID: 36420953 DOI: 10.1093/ecco-jcc/jjac177]
- Ng SC, Shi HY, Hamidi N, Underwood FE, Tang W, Benchimol EI, Panaccione R, Ghosh S, Wu JCY, Chan FKL, Sung JY, Kaplan GG. Worldwide incidence and prevalence of inflammatory bowel disease in the 21st century: a systematic review of population-based studies. *Lancet* 2017; 390: 2769-2778 [PMID: 29050646 DOI: 10.1016/S0140-6736(17)32448-0]
- Dai N, Haidar O, Askari A, Segal JP. Colectomy rates in ulcerative colitis: A systematic review and meta-analysis. *Dig Liver Dis* 2023; 55: 13-20 [PMID: 36180365 DOI: 10.1016/j.dld.2022.08.039]
- Dixon SJ, Lemberg KM, Lamprecht MR, Skouta R, Zaitsev EM, Gleason CE, Patel DN, Bauer AJ, Cantley AM, Yang WS, Morrison B 3rd, Stockwell BR. Ferroptosis: an iron-dependent form of nonapoptotic cell death. *Cell* 2012; 149: 1060-1072 [PMID: 22632970 DOI: 10.1016/j.cell.2012.03.042]
- Friedmann Angeli JP, Schneider M, Proneth B, Tyurina YY, Tyurin VA, Hammond VJ, Herbach N, Aichler M, Walch A, Eggenhofer E, Basavarajappa D, Rådmark O, Kobayashi S, Seibt T, Beck H, Neff F, Esposito I, Wanke R, Förster H, Yefremova O, Heinrichmeyer M, Bornkamm GW, Geissler EK, Thomas SB, Stockwell BR, O'Donnell VB, Kagan VE, Schick JA, Conrad M. Inactivation of the ferroptosis regulator Gpx4 triggers acute renal

- failure in mice. *Nat Cell Biol* 2014; 16: 1180-1191 [PMID: 25402683 DOI: 10.1038/ncb3064]
- 8 Yagoda N, von Rechenberg M, Zaganjor E, Bauer AJ, Yang WS, Fridman DJ, Wolpaw AJ, Smukste I, Peltier JM, Boniface JJ, Smith R, Lessnick SL, Sahasrabudhe S, Stockwell BR. RAS-RAF-MEK-dependent oxidative cell death involving voltage-dependent anion channels. *Nature* 2007; 447: 864-868 [PMID: 17568748 DOI: 10.1038/nature05859]
 - 9 Bersuker K, Hendricks JM, Li Z, Magtanong L, Ford B, Tang PH, Roberts MA, Tong B, Maimone TJ, Zoncu R, Bassik MC, Nomura DK, Dixon SJ, Olzmann JA. The CoQ oxidoreductase FSP1 acts parallel to GPX4 to inhibit ferroptosis. *Nature* 2019; 575: 688-692 [PMID: 31634900 DOI: 10.1038/s41586-019-1705-2]
 - 10 Yang WS, SriRamaratnam R, Welsch ME, Shimada K, Skouta R, Viswanathan VS, Cheah JH, Clemons PA, Shamji AF, Clish CB, Brown LM, Girotti AW, Cornish VW, Schreiber SL, Stockwell BR. Regulation of ferroptotic cancer cell death by GPX4. *Cell* 2014; 156: 317-331 [PMID: 24439385 DOI: 10.1016/j.cell.2013.12.010]
 - 11 Davis JB, Maher P. Protein kinase C activation inhibits glutamate-induced cytotoxicity in a neuronal cell line. *Brain Res* 1994; 652: 169-173 [PMID: 7953717 DOI: 10.1016/0006-8993(94)90334-4]
 - 12 Sato H, Tamba M, Kuriyama-Matsumura K, Okuno S, Bannai S. Molecular cloning and expression of human xCT, the light chain of amino acid transport system xc-. *Antioxid Redox Signal* 2000; 2: 665-671 [PMID: 11213471 DOI: 10.1089/ars.2000.2.4-665]
 - 13 Lane DJ, Merlot AM, Huang ML, Bae DH, Jansson PJ, Sahni S, Kalinowski DS, Richardson DR. Cellular iron uptake, trafficking and metabolism: Key molecules and mechanisms and their roles in disease. *Biochim Biophys Acta* 2015; 1853: 1130-1144 [PMID: 25661197 DOI: 10.1016/j.bbamcr.2015.01.021]
 - 14 Lawen A, Lane DJ. Mammalian iron homeostasis in health and disease: uptake, storage, transport, and molecular mechanisms of action. *Antioxid Redox Signal* 2013; 18: 2473-2507 [PMID: 23199217 DOI: 10.1089/ars.2011.4271]
 - 15 Richardson DR, Ponka P. The molecular mechanisms of the metabolism and transport of iron in normal and neoplastic cells. *Biochim Biophys Acta* 1997; 1331: 1-40 [PMID: 9325434 DOI: 10.1016/s0304-4157(96)00014-7]
 - 16 Frazer DM, Anderson GJ. The regulation of iron transport. *Biofactors* 2014; 40: 206-214 [PMID: 24132807 DOI: 10.1002/biof.1148]
 - 17 Bogdan AR, Miyazawa M, Hashimoto K, Tsuji Y. Regulators of Iron Homeostasis: New Players in Metabolism, Cell Death, and Disease. *Trends Biochem Sci* 2016; 41: 274-286 [PMID: 26725301 DOI: 10.1016/j.tibs.2015.11.012]
 - 18 Gao M, Monian P, Quadri N, Ramasamy R, Jiang X. Glutaminolysis and Transferrin Regulate Ferroptosis. *Mol Cell* 2015; 59: 298-308 [PMID: 26166707 DOI: 10.1016/j.molcel.2015.06.011]
 - 19 Cao X, Wen P, Fu Y, Gao Y, Qi X, Chen B, Tao Y, Wu L, Xu A, Lu H, Zhao G. Radiation induces apoptosis primarily through the intrinsic pathway in mammalian cells. *Cell Signal* 2019; 62: 109337 [PMID: 31173879 DOI: 10.1016/j.cellsig.2019.06.002]
 - 20 Li L, Thakur K, Cao YY, Liao BY, Zhang JG, Wei ZJ. Anticancerous potential of polysaccharides sequentially extracted from *Polygonatum cyrtoneura* Hua in Human cervical cancer Hela cells. *Int J Biol Macromol* 2020; 148: 843-850 [PMID: 31982521 DOI: 10.1016/j.ijbiomac.2020.01.223]
 - 21 Laubach V, Kaufmann R, Bernd A, Kippenberger S, Zöller N. Extrinsic or Intrinsic Apoptosis by Curcumin and Light: Still a Mystery. *Int J Mol Sci* 2019; 20 [PMID: 30791477 DOI: 10.3390/ijms20040905]
 - 22 Shu W, Pang Z, Xu C, Lin J, Li G, Wu W, Sun S, Li J, Li X, Liu Z. Anti-TNF- α Monoclonal Antibody Therapy Improves Anemia through Downregulating Hepatocyte Hepcidin Expression in Inflammatory Bowel Disease. *Mediators Inflamm* 2019; 2019: 4038619 [PMID: 31814801 DOI: 10.1155/2019/4038619]
 - 23 Ramasamy J, Jagadish C, Sukumaran A, Varghese J, Mani T, Joseph AJ, Simon EG, Jacob M. Low Serum Hepcidin Levels in Patients with Ulcerative Colitis - Implications for Treatment of Co-existent Iron-Deficiency Anemia. *Inflammation* 2023; 46: 2209-2222 [PMID: 37486527 DOI: 10.1007/s10753-023-01872-9]
 - 24 Xu M, Tao J, Yang Y, Tan S, Liu H, Jiang J, Zheng F, Wu B. Ferroptosis involves in intestinal epithelial cell death in ulcerative colitis. *Cell Death Dis* 2020; 11: 86 [PMID: 32015337 DOI: 10.1038/s41419-020-2299-1]
 - 25 Zhou WX, Wu XR, Bennett AE, Shen B. Endoscopic and histologic abnormalities of gastrointestinal tract in patients with hereditary hemochromatosis. *J Clin Gastroenterol* 2014; 48: 336-342 [PMID: 24045277 DOI: 10.1097/MCG.0b013e3182a9be10]
 - 26 Stevens RG, Morris JE, Cordis GA, Anderson LE, Rosenberg DW, Sasser LB. Oxidative damage in colon and mammary tissue of the HFE-knockout mouse. *Free Radic Biol Med* 2003; 34: 1212-1216 [PMID: 12706501 DOI: 10.1016/s0891-5849(03)00072-8]
 - 27 Sivaprakasam S, Ristic B, Mudaliar N, Hamood AN, Colmer-Hamood J, Wachtel MS, Nevels AG, Kottapalli KR, Ganapathy V. Hereditary hemochromatosis promotes colitis and colon cancer and causes bacterial dysbiosis in mice. *Biochem J* 2020; 477: 3867-3883 [PMID: 32955078 DOI: 10.1042/BCJ20200392]
 - 28 Chen Y, Zhang P, Chen W, Chen G. Ferroptosis mediated DSS-induced ulcerative colitis associated with Nrf2/HO-1 signaling pathway. *Immunol Lett* 2020; 225: 9-15 [PMID: 32540488 DOI: 10.1016/j.imlet.2020.06.005]
 - 29 Harayama T, Riezman H. Understanding the diversity of membrane lipid composition. *Nat Rev Mol Cell Biol* 2018; 19: 281-296 [PMID: 29410529 DOI: 10.1038/nrm.2017.138]
 - 30 Agmon E, Solon J, Bassereau P, Stockwell BR. Modeling the effects of lipid peroxidation during ferroptosis on membrane properties. *Sci Rep* 2018; 8: 5155 [PMID: 29581451 DOI: 10.1038/s41598-018-23408-0]
 - 31 Hullbert AJ. Metabolism and longevity: is there a role for membrane fatty acids? *Integr Comp Biol* 2010; 50: 808-817 [PMID: 21558243 DOI: 10.1093/icb/icq007]
 - 32 Gaschler MM, Stockwell BR. Lipid peroxidation in cell death. *Biochem Biophys Res Commun* 2017; 482: 419-425 [PMID: 28212725 DOI: 10.1016/j.bbrc.2016.10.086]
 - 33 Kagan VE, Mao G, Qu F, Angeli JP, Doll S, Croix CS, Dar HH, Liu B, Tyurin VA, Ritov VB, Kapralov AA, Amoscato AA, Jiang J, Anthony-muthu T, Mohammadyani D, Yang Q, Proneth B, Klein-Seetharaman J, Watkins S, Bahar I, Greenberger J, Mallampalli RK, Stockwell BR, Tyurina YY, Conrad M, Bayir H. Oxidized arachidonic and adrenic PEs navigate cells to ferroptosis. *Nat Chem Biol* 2017; 13: 81-90 [PMID: 27842066 DOI: 10.1038/nchembio.2238]
 - 34 Doll S, Proneth B, Tyurina YY, Panzilius E, Kobayashi S, Ingold I, Irmeler M, Beckers J, Aichler M, Walch A, Prokisch H, Trümbach D, Mao G, Qu F, Bayir H, Füllekrug J, Scheel CH, Wurst W, Schick JA, Kagan VE, Angeli JP, Conrad M. ACSL4 dictates ferroptosis sensitivity by shaping cellular lipid composition. *Nat Chem Biol* 2017; 13: 91-98 [PMID: 27842070 DOI: 10.1038/nchembio.2239]
 - 35 Dixon SJ, Winter GE, Musavi LS, Lee ED, Snijder B, Rebsamen M, Superti-Furga G, Stockwell BR. Human Haploid Cell Genetics Reveals Roles for Lipid Metabolism Genes in Nonapoptotic Cell Death. *ACS Chem Biol* 2015; 10: 1604-1609 [PMID: 25965523 DOI: 10.1021/acscchembio.5b00245]
 - 36 Yuan H, Li X, Zhang X, Kang R, Tang D. Identification of ACSL4 as a biomarker and contributor of ferroptosis. *Biochem Biophys Res Commun* 2016; 478: 1338-1343 [PMID: 27565726 DOI: 10.1016/j.bbrc.2016.08.124]
 - 37 de Silva PS, Olsen A, Christensen J, Schmidt EB, Overvaad K, Tjønneland A, Hart AR. An association between dietary arachidonic acid, measured in adipose tissue, and ulcerative colitis. *Gastroenterology* 2010; 139: 1912-1917 [PMID: 20950616 DOI: 10.1053/j.gastro.2010.07.065]
 - 38 Li Y, Feng D, Wang Z, Zhao Y, Sun R, Tian D, Liu D, Zhang F, Ning S, Yao J, Tian X. Ischemia-induced ACSL4 activation

- contributes to ferroptosis-mediated tissue injury in intestinal ischemia/reperfusion. *Cell Death Differ* 2019; 26: 2284-2299 [PMID: 30737476 DOI: 10.1038/s41418-019-0299-4]
- 39 Mayr L, Grabherr F, Schwärzler J, Reitmeier I, Sommer F, Gehmacher T, Niederreiter L, He GW, Ruder B, Kunz KTR, Tymoszyk P, Hilbe R, Haschka D, Feistritzer C, Gerner RR, Enrich B, Przysiecki N, Seifert M, Keller MA, Oberhuber G, Sprung S, Ran Q, Koch R, Effenberger M, Tancevski I, Zoller H, Moschen AR, Weiss G, Becker C, Rosenstiel P, Kaser A, Tilg H, Adolph TE. Dietary lipids fuel GPX4-restricted enteritis resembling Crohn's disease. *Nat Commun* 2020; 11: 1775 [PMID: 32286299 DOI: 10.1038/s41467-020-15646-6]
- 40 Charpentier C, Chan R, Salameh E, Mbodji K, Ueno A, Coëffier M, Guérin C, Ghosh S, Savoye G, Marion-Letellier R. Dietary n-3 PUFA May Attenuate Experimental Colitis. *Mediators Inflamm* 2018; 2018: 8430614 [PMID: 29670469 DOI: 10.1155/2018/8430614]
- 41 Stockwell BR, Friedmann Angeli JP, Bayir H, Bush AI, Conrad M, Dixon SJ, Fulda S, Gascón S, Hatzios SK, Kagan VE, Noel K, Jiang X, Linkermann A, Murphy ME, Overholtzer M, Oyagi A, Pagnussat GC, Park J, Ran Q, Rosenfeld CS, Salnikow K, Tang D, Torti FM, Torti SV, Toyokuni S, Woerpel KA, Zhang DD. Ferroptosis: A Regulated Cell Death Nexus Linking Metabolism, Redox Biology, and Disease. *Cell* 2017; 171: 273-285 [PMID: 28985560 DOI: 10.1016/j.cell.2017.09.021]
- 42 Ursini F, Maiorino M. Lipid peroxidation and ferroptosis: The role of GSH and GPx4. *Free Radic Biol Med* 2020; 152: 175-185 [PMID: 32165281 DOI: 10.1016/j.freeradbiomed.2020.02.027]
- 43 Lewerenz J, Hewett SJ, Huang Y, Lambros M, Gout PW, Kalivas PW, Massie A, Smolders I, Methner A, Pergande M, Smith SB, Ganapathy V, Maher P. The cystine/glutamate antiporter system x(c)(-) in health and disease: from molecular mechanisms to novel therapeutic opportunities. *Antioxid Redox Signal* 2013; 18: 522-555 [PMID: 22667998 DOI: 10.1089/ars.2011.4391]
- 44 Pitman KE, Alluri SR, Kristian A, Aarnes EK, Lyng H, Riss PJ, Malinen E. Influx rate of (18)F-fluoroaminosuberic acid reflects cystine/glutamate antiporter expression in tumour xenografts. *Eur J Nucl Med Mol Imaging* 2019; 46: 2190-2198 [PMID: 31264167 DOI: 10.1007/s00259-019-04375-8]
- 45 Santoro MM. The Antioxidant Role of Non-mitochondrial CoQ10: Mystery Solved!. *Cell Metab* 2020; 31: 13-15 [PMID: 31951565 DOI: 10.1016/j.cmet.2019.12.007]
- 46 Doll S, Freitas FP, Shah R, Aldrovandi M, da Silva MC, Ingold I, Goya Grocin A, Xavier da Silva TN, Panzilius E, Scheel CH, Mourão A, Buday K, Sato M, Wanninger J, Vignane T, Mohana V, Rehberg M, Flatley A, Schepers A, Kurz A, White D, Sauer M, Sattler M, Tate EW, Schmitz W, Schulze A, O'Donnell V, Proneth B, Popowicz GM, Pratt DA, Angeli JPE, Conrad M. FSP1 is a glutathione-independent ferroptosis suppressor. *Nature* 2019; 575: 693-698 [PMID: 31634899 DOI: 10.1038/s41586-019-1707-0]
- 47 Sun SP, Lu YF, Li H, Weng CY, Chen JJ, Lou YJ, Lyu D, Lyu B. AMPK activation alleviated dextran sulfate sodium-induced colitis by inhibiting ferroptosis. *J Dig Dis* 2023; 24: 213-223 [PMID: 37210607 DOI: 10.1111/1751-2980.13176]
- 48 Deng L, He S, Li Y, Ding R, Li X, Guo N, Luo L. Identification of Lipocalin 2 as a Potential Ferroptosis-related Gene in Ulcerative Colitis. *Inflamm Bowel Dis* 2023; 29: 1446-1457 [PMID: 37000707 DOI: 10.1093/ibd/izad050]
- 49 Wen Q, Liu J, Kang R, Zhou B, Tang D. The release and activity of HMGB1 in ferroptosis. *Biochem Biophys Res Commun* 2019; 510: 278-283 [PMID: 30686534 DOI: 10.1016/j.bbrc.2019.01.090]
- 50 Jupp J, Hillier K, Elliott DH, Fine DR, Bateman AC, Johnson PA, Cazaly AM, Penrose JF, Sampson AP. Colonic expression of leukotriene-pathway enzymes in inflammatory bowel diseases. *Inflamm Bowel Dis* 2007; 13: 537-546 [PMID: 17230539 DOI: 10.1002/ibd.20094]
- 51 Masterson JC, McNamee EN, Fillon SA, Hosford L, Harris R, Fernando SD, Jedlicka P, Iwamoto R, Jacobsen E, Protheroe C, Eltzschig HK, Colgan SP, Arita M, Lee JJ, Furuta GT. Eosinophil-mediated signalling attenuates inflammatory responses in experimental colitis. *Gut* 2015; 64: 1236-1247 [PMID: 25209655 DOI: 10.1136/gutjnl-2014-306998]
- 52 Kroschwald S, Chiu CY, Heydeck D, Rohwer N, Gehring T, Seifert U, Lux A, Rothe M, Weylandt KH, Kuhn H. Female mice carrying a defective Alox15 gene are protected from experimental colitis via sustained maintenance of the intestinal epithelial barrier function. *Biochim Biophys Acta Mol Cell Biol Lipids* 2018; 1863: 866-880 [PMID: 29702245 DOI: 10.1016/j.bbalip.2018.04.019]
- 53 Lin W, Ma C, Su F, Jiang Y, Lai R, Zhang T, Sun K, Fan L, Cai Z, Li Z, Huang H, Li J, Wang X. Raf kinase inhibitor protein mediates intestinal epithelial cell apoptosis and promotes IBDs in humans and mice. *Gut* 2017; 66: 597-610 [PMID: 26801887 DOI: 10.1136/gutjnl-2015-310096]
- 54 Yang WH, Ding CC, Sun T, Rupprecht G, Lin CC, Hsu D, Chi JT. The Hippo Pathway Effector TAZ Regulates Ferroptosis in Renal Cell Carcinoma. *Cell Rep* 2019; 28: 2501-2508.e4 [PMID: 31484063 DOI: 10.1016/j.celrep.2019.07.107]
- 55 Poursaitidis I, Wang X, Crighton T, Labuschagne C, Mason D, Cramer SL, Triplett K, Roy R, Pardo OE, Seckl MJ, Rowlinson SW, Stone E, Lamb RF. Oncogene-Selective Sensitivity to Synchronous Cell Death following Modulation of the Amino Acid Nutrient Cystine. *Cell Rep* 2017; 18: 2547-2556 [PMID: 28297659 DOI: 10.1016/j.celrep.2017.02.054]
- 56 Chen X, Xu S, Zhao C, Liu B. Role of TLR4/NADPH oxidase 4 pathway in promoting cell death through autophagy and ferroptosis during heart failure. *Biochem Biophys Res Commun* 2019; 516: 37-43 [PMID: 31196626 DOI: 10.1016/j.bbrc.2019.06.015]
- 57 Shimada K, Hayano M, Pagano NC, Stockwell BR. Cell-Line Selectivity Improves the Predictive Power of Pharmacogenomic Analyses and Helps Identify NADPH as Biomarker for Ferroptosis Sensitivity. *Cell Chem Biol* 2016; 23: 225-235 [PMID: 26853626 DOI: 10.1016/j.chembiol.2015.11.016]
- 58 冯燕燕, 冯婷, 杨秉政. 柳氮磺胺吡啶对老年溃疡性结肠炎患者血清降钙素原、C反应蛋白水平的影响. *实用临床医药杂志* 2019; 23: 24-28
- 59 Ye P, Mimura J, Okada T, Sato H, Liu T, Maruyama A, Ohyama C, Itoh K. Nrf2- and ATF4-dependent upregulation of xCT modulates the sensitivity of T24 bladder carcinoma cells to proteasome inhibition. *Mol Cell Biol* 2014; 34: 3421-3434 [PMID: 25002527 DOI: 10.1128/MCB.00221-14]
- 60 Antelmann H, Hellmann JD. Thiol-based redox switches and gene regulation. *Antioxid Redox Signal* 2011; 14: 1049-1063 [PMID: 20626317 DOI: 10.1089/ars.2010.3400]
- 61 Chen Y, Wang J, Li J, Zhu J, Wang R, Xi Q, Wu H, Shi T, Chen W. Astragalus polysaccharide prevents ferroptosis in a murine model of experimental colitis and human Caco-2 cells via inhibiting NRF2/HO-1 pathway. *Eur J Pharmacol* 2021; 911: 174518 [PMID: 34562468 DOI: 10.1016/j.ejphar.2021.174518]
- 62 Wang S, Liu W, Wang J, Bai X. Curculigoside inhibits ferroptosis in ulcerative colitis through the induction of GPX4. *Life Sci* 2020; 259: 118356 [PMID: 32861798 DOI: 10.1016/j.lfs.2020.118356]
- 63 Chen Y, Zhu S, Chen Z, Liu Y, Pei C, Huang H, Hou S, Ning W, Liang J. Gingerenone A Alleviates Ferroptosis in Secondary Liver Injury in Colitis Mice via Activating Nrf2-Gpx4 Signaling Pathway. *J Agric Food Chem* 2022; 70: 12525-12534 [PMID: 36135333 DOI: 10.1021/acs.jafc.2c05262]
- 64 Yang X, Sun X, Zhou F, Xiao S, Zhong L, Hu S, Zhou Z, Li L, Tan Y. Protocatechuic Acid Alleviates Dextran-Sulfate-Sodium-Induced Ulcerative Colitis in Mice via the Regulation of Intestinal Flora and Ferroptosis. *Molecules* 2023; 28 [PMID: 37175184 DOI: 10.3390/molecules28093775]
- 65 Yokote A, Imazu N, Umeno J, Kawasaki K, Fujioka S, Fuyuno Y, Matsuno Y, Moriyama T, Miyawaki K, Akashi K, Kitazono T,

Torisu T. Ferroptosis in the colon epithelial cells as a therapeutic target for ulcerative colitis. *J Gastroenterol* 2023; 58: 868-882 [PMID: 37410250 DOI: 10.1007/s00535-023-02016-4]

- 66 Wang X, Quan J, Xiu C, Wang J, Zhang J. Gegen Qinlian decoction (GQD) inhibits ulcerative colitis by modulating ferroptosis-dependent pathway in mice and organoids. *Chin Med* 2023; 18: 110

[PMID: 37649073 DOI: 10.1186/s13020-023-00819-4]

- 67 Hu S, Luo Y, Yang X, Zhou Z, Zhou F, Zhong L, Tan Y, Pei G, Tan Y. Shaoyao Gancan Decoction protects against dextran sulfate sodium-induced ulcerative colitis by down-regulating ferroptosis. *J Pharm Pharmacol* 2023; 75: 1111-1118 [PMID: 37226187 DOI: 10.1093/jpp/rgad047]

科学编辑: 张砚梁 制作编辑: 张砚梁



ISSN 1009-3079 (print) ISSN 2219-2859 (online) DOI: 10.11569 © 2024 Baishideng Publishing Group Inc. All rights reserved.

• 消息 •

《世界华人消化杂志》正文要求

本刊讯 本刊正文标题层次为 0 引言; 1 材料和方法, 1.1 材料, 1.2 方法; 2 结果; 3 讨论; 4 参考文献。序号一律左顶格写, 后空 1 格写标题; 2 级标题后空 1 格接正文。以下逐条陈述: (1) 引言 应包括该研究的目的和该研究与其他相关研究的关系。(2) 材料和方法 应尽量简短, 但应让其他有经验的研究者能够重复该实验。对新的方法应该详细描述, 以前发表过的方法引用参考文献即可, 有关文献中或试剂手册中的方法的改进仅描述改进之处即可。(3) 结果 实验结果应合理采用图表和文字表示, 在结果中应避免讨论。(4) 讨论 要简明, 应集中对所得的结果做出解释而不是重复叙述, 也不应是大量文献的回顾。图表的数量要精选。表应有表序和表题, 并有足够具有自明性的信息, 使读者不查阅正文即可理解该表的内容。表内每一栏均应有表头, 表内非公知通用缩写应在表注中说明, 表格一律使用三线表(不用竖线), 在正文中该出现的地方应注出。图应有图序、图题和图注, 以使其容易被读者理解, 所有的图应在正文中该出现的地方注出。同一个主题内容的彩色图、黑白图、线条图, 统一用一个注解分别叙述。如: 图 1 萎缩性胃炎治疗前后病理变化。A: …; B: …; C: …; D: …; E: …; F: …; G: …。曲线图可按●、○、■、□、▲、△顺序使用标准的符号。统计学显著性用: $^aP<0.05$, $^bP<0.01$ ($P>0.05$ 不注)。如同一表中另有一套 P 值, 则 $^cP<0.05$, $^dP<0.01$; 第 3 套为 $^eP<0.05$, $^fP<0.01$ 。 P 值后注明何种检验及其具体数字, 如 $P<0.01$, $t = 4.56$ vs 对照组等, 注在表的左下方。表内采用阿拉伯数字, 共同的计量单位符号应注在表的右上方, 表内个位数、小数点、±、- 应上下对齐。“空白”表示无此项或未测, “-”代表阴性未发现, 不能用同左、同上等。表图勿与正文内容重复。表图的标目尽量用 t/min , $c/(\text{mol/L})$, p/kPa , V/mL , $t/^\circ\text{C}$ 表达。黑白图请附黑白照片, 并拷入光盘内; 彩色图请提供冲洗的彩色照片, 请不要提供计算机打印的照片。彩色图片大小 $7.5\text{ cm} \times 4.5\text{ cm}$, 必须使用双面胶条黏贴在正文内, 不能使用浆糊黏贴。(5) 致谢 后加冒号, 排在讨论后及参考文献前, 左齐。



Published by **Baishideng Publishing Group Inc**
7041 Koll Center Parkway, Suite 160, Pleasanton,
CA 94566, USA
Telephone: +1-925-3991568
E-mail: bpgoffice@wjgnet.com
https://www.wjgnet.com



ISSN 1009-3079

