

世界华人消化杂志®

**WORLD CHINESE
JOURNAL OF DIGESTOLOGY**

Shijie Huaren Xiaohua Zazhi

2024 年 2 月 28 日 第 32 卷 第 2 期 (Volume 32 Number 2)



2 / 2024

ISSN 1009-3079



《世界华人消化杂志》是一本高质量的同行评议、开放获取和在线出版的学术刊物。本刊被国际检索系统《化学文摘(Chemical Abstracts, CA)》、《医学文摘库/医学文摘(EMBASE/Excerpta Medica, EM)》、《文摘杂志(Abstract Journal, AJ)》、Scopus、《中文科技期刊数据库(CSTJ)》和《超星期刊域出版平台(Superstar Journals Database)》数据库收录。



述评

- 97 中重型颅脑损伤患者继发应激性溃疡机制和防治策略研究进展
成杰, 蔡丽颖, 唐启群
- 102 内镜治疗肝硬化患者上消化道早癌的风险及处理策略
谭玉勇, 卿毓敏, 龚建, 刘德良
- 109 基于铁死亡探讨防治溃疡性结肠炎的机制
张尔馨, 郝微微, 王珠环, 时艺榕
- 116 早发性与晚发性结直肠癌临床特征比较及预后的分析
龙贤, 王悦, 简梓晴, 何琼

临床研究

- 123 CD155、TIGIT在胃肠神经内分泌肿瘤中的表达及与临床病理特征的关系
谢伟, 余松, 侯能易, 严力, 曹钦兴, 旦真甲, 袁兴梅, 陆河江, 刘杰, 庞明辉
- 134 Gal-1蛋白与胃癌临床病理特征以及预后的关系
潘铮昶, 武美玲, 张威

基础研究

- 141 CDH1基因对小鼠胃类器官生长和E-cadherin表达的作用机制
邵伟, 余友杰, 夏海娜, 郑优优, 孙展杭, 严皓哲
- 148 安胃汤抑制CAG大鼠PD-1/PD-L1信号轴免疫逃逸机制研究
陈丽, 宋泓燕, 谭程匀, 蒋姘影, 甘秀凤, 卜磊, 韦维, 林寿宁

荟萃分析

- 158 Meta分析评价钛夹辅助内镜下组织胶注射治疗胃静脉曲张的疗效
吕永才, 姚燕华, 雷静静

病例报告

- 166 PTCD引导下体外震波碎石联合ERCP治疗改道术后困难胆管结石2例
方梦蝶, 王月, 陈佳琦, 张筱凤

消 息

- 108 《代谢相关脂肪性肝病肝外并发症》书讯
115 《世界华人消化杂志》正文要求
133 《世界华人消化杂志》修回稿须知
170 《世界华人消化杂志》栏目设置

封面故事

本刊编委祁兴顺, 医学博士, 副主任医师, 北部战区总医院消化内科. 第四军医大学获得医学博士学位, 并在沈阳军区总医院完成博士后研究, 现为北部战区总医院消化内科主任. 主要研究方向为肝硬化、门静脉高压、门静脉血栓形成、Budd-Chiari综合征、肝细胞癌等病因、诊断及治疗. 2016年全军优秀博士论文获得者. 2019年第十二届辽宁省青年科技奖十大英才. 2022年联勤保障部队学科中坚人才、2022年度军队高层次科技创新人才工程青年科技英才.

本期责任人

编务 张砚梁; 送审编辑 张砚梁; 组版编辑 张砚梁; 英文编辑 王天奇;
形式规范审核编辑部主任 郭旭; 最终清样审核总编辑 马连生

世界华人消化杂志

Shijie Huaren Xiaohua Zazhi

吴阶平 题写封面刊名

陈可冀 题写版权刊名

(月刊)

创 刊 1993-01-15

改 刊 1998-01-25

出 版 2024-02-28

原刊名 新消化病学杂志

期刊名称

世界华人消化杂志

国际标准连续出版物号

ISSN 1009-3079 (print) ISSN 2219-2859 (online)

共同主编

党双锁, 博士, 教授, 研究员, 主任医师, 710004, 陕西省西安市, 西安交通大学医学院第二附属医院感染科

郭晓钟, 博士, 教授, 110840, 辽宁省沈阳市, 北部战区总医院消化内科

霍丽娟, 博士, 主任医师, 030001, 山西省太原市, 山西医科大学第一医院消化内科

江学良, 博士, 教授, 250001, 山东省济南市, 山东中医药大学第二附属医院消化中心

田艳涛, 博士, 教授, 主任医师, 100021, 北京市, 国

家癌症中心/中国医学科学院北京协和医学院肿瘤医院胰胃外科

王小众, 博士, 教授, 350001, 福建省福州市, 福建医科大学附属协和医院消化内科

姚登福, 博士, 教授, 226001, 江苏省南通市, 南通大学附属医院临床医学研究中心

张宗明, 博士, 教授, 100073, 北京市, 首都医科大学北京电力医院普外科

编辑委员会

编辑委员会成员在线名单, 详见:

<https://www.wjgnet.com/1009-3079/editorialboard.htm>

编辑部

王金磊, 主任

《世界华人消化杂志》编辑部

Baishideng Publishing Group Inc

7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA

Telephone: +1-925-3991568

E-mail: wcjd@wjgnet.com

<http://www.wjgnet.com>

出版

百世登出版集团有限公司

Baishideng Publishing Group Inc

7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA

Telephone: +1-925-3991568

E-mail: bpgoffice@wjgnet.com

<https://www.wjgnet.com>

制作

北京百世登生物医学科技有限公司
100025, 北京市朝阳区东四环中路
62号, 远洋国际中心D座903室
电话: +86-10-85381901

《世界华人消化杂志》是一本高质量的同行评议, 开放获取和在线出版的学术刊物. 本刊被国际检索系统《化学文摘(Chemical Abstracts, CA)》、《医学文摘库/医学文摘(EMBASE/Excerpta Medica, EM)》、《文摘杂志(Abstract Journal, AJ)》、Scopus、《中文科技期刊数据库(CSTJ)》和《超星期刊域出版平台(Superstar Journals Database)》数据库收录.

《世界华人消化杂志》正式开通了在线办公系统(<https://www.baishideng.com>), 所有办公流程一律可以在线进行, 包括投稿、审稿、编辑、审读, 以及作者、读者和编者之间的信息反馈交流.

特别声明

本刊刊出的所有文章不代表本刊编辑部和本刊编委会的观点, 除非特别声明. 本刊如有印装质量问题, 请向本刊编辑部调换.

定价

每期136.00元 全年12期1632.00元

© 2024 Baishideng Publishing Group Inc. All rights reserved.

Contents

Volume 32 Number 2 February 28, 2024

EDITORIAL

- 97 Pathogenic mechanism and preventive and therapeutic strategies for secondary stress ulcers in patients with moderate to severe traumatic brain injury
Cheng J, Cai LY, Tang QQ
- 102 Risk associated with endoscopic treatment of early upper gastrointestinal cancer in patients with liver cirrhosis and management strategies
Tan YY, Qing YM, Gong J, Liu DL
- 109 Mechanism of prevention and treatment of ulcerative colitis from the perspective of iron death
Zhang EX, Hao WW, Wang ZH, Shi YR
- 116 Comparison of clinical features and prognosis of early- and late-onset colorectal cancer
Long X, Wang Y, Jian ZQ, He Q

CLINICAL RESEARCH

- 123 Relationship between expression of CD155 and TIGIT and clinicopathological features in gastrointestinal neuroendocrine tumors
Xie W, Yu S, Hou NY, Yan L, Cao QX, Dan ZJ, Yuan XM, Lu HJ, Liu J, Pang MH
- 134 Expression of Galectin-1 protein in gastric cancer: Correlation with disease progression and prognosis
Pan ZY, Wu ML, Zhang W

BASIC RESEARCH

- 141 Mechanism of action of CDH1 gene on gastric organoid growth and E-cadherin expression in mice
Shao W, Yu YJ, Xia HN, Zheng YY, Sun ZH, Yan HZ
- 148 Mechanism for Anwei decoction to inhibit immune escape induced by programmed cell death protein 1/programmed cell death ligand 1 axis in rats with chronic atrophic gastritis
Chen L, Song HY, Tan CY, Jiang HY, Gan XF, Bu L, Wei W, Lin SN

META ANALYSIS

- 158 Efficacy of clip-assisted endoscopic cyanoacrylate injection therapy for gastric varices: A Meta-analysis
Lv YC, Yao YH, Lei JJ

CASE REPORT

- 166 Extracorporeal shock wave lithotripsy combined with endoscopic retrograde cholangiopancreatography under guidance of percutaneous transhepatic cholangiography drainage to treat difficult bile duct stones in patients with surgically altered anatomy: Report of two cases
Fang MD, Wang Y, Chen JQ, Zhang XF

Contents

World Chinese Journal of Digestology
Volume 32 Number 2 February 28, 2024

COVER

Editorial Board Member of *World Chinese Journal of Digestology*, Xing-Shun Qi, M.D., Vice Chief Physician, Department of Gastroenterology, General of Northern Theater Command, No. 83 Wenhua Road, Shenyang 110840, Liaoning Province, China. xingshunqi@126.com

Indexed/Abstracted by

Chemical Abstracts, EMBASE/Excerpta Medica, Abstract Journals, Scopus, CSTJ and Superstar Journals Database.

RESPONSIBLE EDITORS FOR THIS ISSUE

Assistant Editor: *Yan-Liang Zhang*

Review Editor: *Yan-Liang Zhang*

Production Editor: *Yan-Liang Zhang*

English Language Editor: *Tian-Qi Wang*

Proof Editor: *Xu Guo*

Layout Reviewer: *Lian-Sheng Ma*

Shijie Huaren Xiaohua Zazhi

Founded on January 15, 1993

Renamed on January 25, 1998

Publication date February 28, 2024

NAME OF JOURNAL

World Chinese Journal of Digestology

ISSN

ISSN 1009-3079 (print) ISSN 2219-2859 (online)

CO-EDITORS-IN-CHIEF

Shuang-Suo Dang, Professor, Department of Infectious Diseases, The Second Affiliated Hospital of Medical School of Xi'an Jiaotong University, Xi'an 710004, Shaanxi Province, China

Xiao-Zhong Guo, Professor, Department of Gastroenterology, North Theater General Hospital, Shenyang 110840, Liaoning Province, China

Li-Juan Huo, Chief Physician, Department of Gastroenterology, The First Hospital of Shanxi Medical University, Taiyuan 030001, Shanxi Province, China

Xue-Liang Jiang, Professor, Digestive Center of The Second Affiliated Hospital of Shandong University of Traditional Chinese Medicine, Jinan 250001, Shandong Province, China

Yan-Tao Tian, Professor, Chief Physician, National Cancer Center/Department of Pancreatic and Gastric Surgery, Cancer Hospital, Chinese Academy of Medical Sciences and Peking Union Medical College, Beijing

100021, China

Xiao-Zhong Wang, Professor, Department of Gastroenterology, Union Hospital, Fujian Medical University, Fuzhou 350001, Fujian Province, China

Deng-Fu Yao, Professor, Clinical Research Center, Affiliated Hospital of Nantong University, Nantong 226001, Jiangsu Province, China

Zong-Ming Zhang, Professor, Department of General Surgery, Beijing Electric Power Hospital, Capital Medical University, Beijing 100073, China

EDITORIAL BOARD MEMBERS

All editorial board members resources online at <https://www.wjgnet.com/1009-3079/editorialboard.htm>

EDITORIAL OFFICE

Jin-Lei Wang, Director

World Chinese Journal of Digestology

Baishideng Publishing Group Inc

7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA

Telephone: +1-925-3991568

E-mail: wjcd@wjgnet.com

<https://www.wjgnet.com>

PUBLISHER

Baishideng Publishing Group Inc

7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA

Telephone: +1-925-3991568

E-mail: bpgoffice@wjgnet.com

<https://www.wjgnet.com>

PRODUCTION CENTER

Beijing Baishideng BioMed Scientific Co., Limited Room 903, Building D, Ocean International Center, No. 62 Dongsihuan Zhonglu, Chaoyang District, Beijing 100025, China
Telephone: +86-10-85381901

PRINT SUBSCRIPTION

RMB 136 Yuan for each issue

RMB 1632 Yuan for one year

COPYRIGHT

© 2024 Baishideng Publishing Group Inc. Articles published by this open access journal are distributed under the terms of the Creative Commons Attribution Non-commercial License, which permits use, distribution, and reproduction in any medium, provided the original work is properly cited, the use is non commercial and is otherwise in compliance with the license.

SPECIAL STATEMENT

All articles published in journals owned by the Baishideng Publishing Group (BPG) represent the views and opinions of their authors, but not the views, opinions or policies of the BPG, except where otherwise explicitly indicated.

INSTRUCTIONS TO AUTHORS

Full instructions are available online at <https://www.wjgnet.com/1009-3079/Nav/36>. If you do not have web access, please contact the editorial office.

PTCD引导下体外震波碎石联合ERCP治疗改道术后困难胆管结石2例

方梦蝶, 王月, 陈佳琦, 张筱凤

方梦蝶, 陈佳琦, 浙江中医药大学第四临床医学院 浙江省杭州市 310053

王月, 浙江大学 浙江省杭州市 310058

张筱凤, 杭州市第一人民医院消化内科 浙江省杭州市 310003

方梦蝶, 在读硕士研究生, 主要研究胆胰相关疾病.

作者贡献分布: 方梦蝶负责论文的写作与修改; 王月负责病例资料的收集; 陈佳琦负责查找相关文献; 张筱凤负责指导论文的书写与修改.

通讯作者: 张筱凤, 主任医师, 310003, 浙江省杭州市上城区浣纱路261号, 杭州市第一人民医院消化内科. zxf837@tom.com

收稿日期: 2023-12-15

修回日期: 2024-01-16

接受日期: 2024-01-26

在线出版日期: 2024-02-28

Extracorporeal shock wave lithotripsy combined with endoscopic retrograde cholangiopancreatography under guidance of percutaneous transhepatic cholangiography drainage to treat difficult bile duct stones in patients with surgically altered anatomy: Report of two cases

Meng-Die Fang, Yue Wang, Jia-Qi Chen, Xiao-Feng Zhang

Meng-Die Fang, Jia-Qi Chen, The Fourth School of Clinical Medicine, Zhejiang Chinese Medical University, Hangzhou 310053, Zhejiang Province, China

Yue Wang, Zhejiang University, Hangzhou 310058, Zhejiang Province, China

Xiao-Feng Zhang, Department of Gastroenterology, Affiliated Hangzhou First People's Hospital, Hangzhou 310003, Zhejiang Province, China

Corresponding author: Xiao-Feng Zhang, Professor, Department of Gastroenterology, Affiliated Hangzhou First People's Hospital, No. 261 Huansha Road, Shangcheng District, Hangzhou 310003, Zhejiang Province, China. zxf837@tom.com

Received: 2023-12-15

Revised: 2024-01-16

Accepted: 2024-01-26

Published online: 2024-02-28

Abstract

BACKGROUND

Endoscopic retrograde cholangiopancreatography (ERCP) is currently the conventional treatment for bile duct stones. However, for patients with surgically altered anatomy, the success rate of ERCP decreases due to changes in papilla position and difficulty in bile duct intubation. Thus, more appropriate treatment options need to be explored.

CASE SUMMARY

This article reports two cases of difficult bile duct stones in patients with surgically altered anatomy. Due to the occupation of the bile duct by the stones and edema of the intestinal mucosa in the input loop, the first attempt of ERCP stone removal failed. Under the guidance of percutaneous transhepatic cholangiography drainage (PTCD), extracorporeal shock wave lithotripsy (ESWL) combined with ERCP was performed, achieving good therapeutic effects.

CONCLUSION

For some patients with difficult bile duct stones, after routine ERCP fails, PTCD can be used to relieve obstruction and provide sufficient drainage. After the general situation improves, ESWL combined with ERCP can be selected for stone removal, which can achieve good treatment results.

© The Author(s) 2024. Published by Baishideng Publishing Group Inc. All rights reserved.

Key Words: Difficult bile duct stones in patients with surgically altered anatomy; PTCD; ESWL; ERCP

Citation: Fang MD, Wang Y, Chen JQ, Zhang XF. Extracorporeal shock wave lithotripsy combined with endoscopic retrograde cholangiopancreatography under guidance of percutaneous transhepatic cholangiography drainage to treat difficult bile duct stones in patients with surgically altered anatomy: Report of two cases. *Shijie Huaren Xiaohua Zazhi* 2024; 32(2): 166-170

URL: <https://www.wjgnet.com/1009-3079/full/v32/i2/166.htm>

DOI: <https://dx.doi.org/10.11569/wjcd.v32.i2.166>

摘要

背景

经内镜逆行胰胆管造影术(endoscopic retrograde cholangiopancreatography, ERCP)是目前治疗胆管结石的常规手段,但对于改道术后的患者,由于乳头位置改变、胆管插管困难等原因, ERCP成功率有所下降,需探索更为合适的治疗方案。

病例简介

本文报道2例改道术后的困难胆管结石,在经皮肝穿刺胆道引流术(percutaneous transhepatic cholangiography drainage, PTCD)引导下进行体外震波碎石(extracorporeal shock wave lithotripsy, ESWL)联合ERCP治疗,取得良好的治疗效果。

结论

对于一些高龄、基础条件差的困难胆管结石患者,常规ERCP失败后可尝试使用PTCD解除梗阻、充分引流,待一般情况好转后,择期ESWL联合ERCP取石,可取得不错的治疗效果。

© The Author(s) 2024. Published by Baishideng Publishing Group Inc. All rights reserved.

关键词: 改道术后困难胆管结石; 经皮肝穿刺胆道引流术; 体外震波碎石; 经内镜逆行胰胆管造影术

核心提要: 本文所报道2例困难胆管结石的病例,通过经皮肝穿刺胆道引流术引导下体外震波碎石联合经内镜逆行胰胆管造影术治疗,均取得良好的治疗效果。可为临床工作中治疗此类患者提供一定的参考意见。

文献来源: 方梦蝶, 王月, 陈佳琦, 张筱凤. PTCD引导下体外震波碎石联合ERCP治疗改道术后困难胆管结石2例. *世界华人消化杂志* 2024; 32(2): 166-170

URL: <https://www.wjgnet.com/1009-3079/full/v32/i2/166.htm>

DOI: <https://dx.doi.org/10.11569/wjcd.v32.i2.166>

0 引言

胆石症目前是我国高发的消化系统疾病,其主要内

科治疗手段为经内镜逆行胰胆管造影术(endoscopic retrograde cholangiopancreatography, ERCP),但部分结石因结石直径过大等原因,难以通过ERCP取出,被称为困难胆管结石。本文介绍了2例经经皮肝穿刺胆道引流术(percutaneous transhepatic cholangiography drainage, PTCD)引导下体外震波碎石(extracorporeal shock wave lithotripsy, ESWL)联合ERCP治疗改道术后困难胆管结石,具有一定的参考意义。

1 病例简介

1.1 主诉 病例1: 反复发热半年余,皮肤巩膜黄染4月余。

病例2: 腹痛伴恶心呕吐半月。

1.2 现病史 病例1: 患者半年前无明显诱因出现发热,至外院就诊考虑胆总管结石,予对症治疗好转。4 mo前出现皮肤眼白发黄,为进一步治疗至我院就诊。

病例2: 患者半月前无明显诱因下出现腹痛,伴恶心呕吐,至外院就诊考虑肝门部胆管结石,予以对症治疗后略有好转,为进一步治疗至我院就诊。

1.3 既往史 病例1: 2000年行胆囊切除术,2022年因十二指肠肠狭窄行whipple术。

病例2: 16年前行胆肠吻合术。

1.4 个人史和家族史 无殊。

1.5 查体 病例1: 神志清,精神可,皮肤巩膜轻度黄染,双肺呼吸音清,未闻及明显干湿啰音,心律齐,未闻及明显杂音。腹软,右季肋区可见一长约15 cm的陈旧性疤痕,腹部无明显压痛及反跳痛,双下肢未见明显水肿。

病例2: 神志清,精神可,皮肤巩膜未见黄染,双肺呼吸音清,未闻及明显干湿啰音,心律齐,未闻及明显杂音。腹软,可见陈旧性疤痕,腹部无明显压痛及反跳痛,双下肢未见明显水肿。

1.6 实验室检查 病例1: 白细胞 $10.6 \times 10^9/L$,超敏C反应蛋白107.2 mg/L,降钙素原0.82 ng/mL,丙氨酸转氨酶102 U/L,门冬氨酸转氨酶94 U/L,总胆红素75.5 $\mu\text{mol/L}$,直接胆红素47.6 $\mu\text{mol/L}$,间接胆红素27.9 $\mu\text{mol/L}$ 。

病例2: 白细胞 $7.6 \times 10^9/L$,超敏C反应蛋白1.6 mg/L,丙氨酸转氨酶22 U/L,门冬氨酸转氨酶28 U/L,总胆红素18.5 $\mu\text{mol/L}$,直接胆红素4.9 $\mu\text{mol/L}$,间接胆红素13.6 $\mu\text{mol/L}$,白蛋白29 g/L。

1.7 影像学检查 病例1: 磁共振胰胆管成像(magnetic resonance cholangiopancreatography, MRCP): 胆总管上段见结节状低信号,大者约20 mm×12 mm,肝门部及肝内胆管广泛扩张,管内信号均匀。胆囊未见显示。胰管显示无明显扩张(图1)。

病例2: 腹部CT: 胆囊多发结石、胆囊炎;肝内胆管多发结石伴肝内胆管扩张;肝门部可疑低密度灶(图2)。




图 1 病例1磁共振胰胆管成像示: 胆总管上段可见多发结石, 大者约20 mm × 12 mm, 肝门部及肝内胆管广泛扩张. 箭头: 胆总管结石.




图 2 病例2腹部电子计算机断层扫描可见肝内胆管多发结石伴肝内胆管扩张. 箭头: 肝内胆管结石.




图 3 病例1体外震波碎石术中X线透视显影.




图 4 病例1ERCP: 十二指肠镜进镜, 至距门齿45 cm见胃肠吻合口, 距门齿80 cm见胆肠吻合口, 见PTCD管在位. A: 予活检钳钳出部分胆肠吻合口缝线; B: 用网篮取出多枚黄色结石及泥沙样结石. ERCP: 经内镜逆行胰胆管造影术; PTCD: 经皮肝穿刺胆道引流术.

2 最终诊断

病例1: 胆总管结石伴胆管炎; 梗阻性黄疸; 肝内胆管扩张; 胆囊术后; whipple术.

病例2: 肝内胆管结石伴胆管炎; 胆囊结石伴胆囊炎; 胆道术后; 低蛋白血症.

3 治疗

病例1: 入院后行小肠镜ERCP, 沿输入袢进镜至胆肠吻合口, 见大量黄色结石及手术缝线, 用异物钳钳除黄色结石, 反复尝试胆管插管未能进入胆管, ERCP取石失败. 为消除黄疸, 患者行经皮肝穿刺胆道引流术治疗, 复查胆红素较前明显下降. 同时考虑患者一般条件较差, 带PTCD管于当地医院予抗感染、营养支持等对症治. 4 mo后患者再次返院治疗, 行体外震波碎石(图3), 术中通过PTCD管打入造影剂, X线下准确定位结石位置. 经2次碎石后, 达到完全碎石. 再次行ERCP, 距门齿80 cm见胆肠吻合口, PTCD管在位, 胆管插管成功后, 予网篮取石, 活检钳钳除部分胆肠吻合口缝线, 留置弯头鼻胆管, 并拔除PTCD管(图4). ERCP术后3d行鼻导管造影未见明显




图 5 病例2体外震波碎石术中X线透视显影。



图 7 病例2ERCP术后复查鼻胆管造影未见明显异常。ERCP: 经内镜逆行胰胆管造影术。




图 6 病例2小肠镜ERCP: 进镜约120 cm至胆肠吻合口, 远端可见多发黄褐色结石, 适用网篮、异物钳取出大量结石。ERCP: 经内镜逆行胰胆管造影术。

异常, 复查肝酶、胆红素未见明显异常。患者一般情况稳定, 顺利出院。

病例2: 排除相关禁忌, 行小肠镜ERCP, 术中可见输入袢肠道黏膜水肿, 反复尝试进镜失败。ERCP术后行右侧肝内胆管置管术。患者基础条件一般, 营养状况差, 带PTCD管于当地医院对症治疗。2 mo后患者再次返院治疗, 复查腹部CT, 肝内胆管结石较前有所减少。行体外震波碎石, 术中通过PTCD管打入造影剂, X线下准确定位结石位置(图5)。经3次碎石后, 大部分结石碎石成功。再次行ERCP, 肠道未见明显水肿, 顺利进镜, 可见PTCD管在位, 予网篮、异物钳取出大量结石(图6), 留置弯头鼻胆管, 拔除PTCD管。ERCP术后3 d行鼻导管造影未见明显异常(图7)。患者一般情况稳定, 顺利出院。

4 结果和随访

2例患者出院1 mo后门诊复查腹部CT未见明显结石, 嘱定期消化内科门诊随访。

5 讨论

胆石症是目前较为常见的消化道系统疾病, 在我国的发生率约为11%, 胆管结石占其中一部分^[1], 其主要发病原因可能与胆道感染、胆汁淤积等因素相关。目前通过内镜技术的不断发展, ERCP已经成为治疗胆管结石的首选方法。但仍有部分胆管结石由于各种原因无法通过常规内镜手段取出, 这部分结石被认为是困难胆管结石^[2]。

困难胆管结石取石困难的原因主要分为两大类: 一类是结石本身特点: 结石直径过大(>1.5 cm)、结石质地坚硬、结石位于肝内胆管等; 另一类是解剖结构异常: 包括先天性结构异常, 如胆管扭曲、狭窄、Mirriz综合征等, 以及人为因素造成解剖结构改变, 最常见的是消化道改道术^[3,4]。对于改道术后的病人, 常规ERCP将面临以下问题: 消化道结构重建, 进镜路线复杂; 输入肠袢过长, 常规十二指肠镜长度不足; 外科术后导致腹腔粘连, 造成肠道管腔扭曲成角^[5-7]; 均可造成ERCP取石失败。本文所报道2例案例均属于消化道改道术后, 同时合并结石过大等原因, 多种因素导致首次ERCP取石失败。

对于ERCP失败, 且因包括高龄、基础条件差、或患者本人无再次手术意愿等各种原因无法选择外科手术的困难胆管结石患者, 如何加强引流、解除梗阻, 同时创造条件使结石更易取出是目前临床上所面临的困难。体外震波碎石是目前治疗困难胆管结石的常见手

段, 其利用电磁能量等产生的冲击波, 透过人体组织将质硬结石分解成细小碎块。但由于冲击波对人体正常组织也可产生损伤, 为提高碎石的安全性, 往往在术前置入鼻胆管, 并在术中通过鼻胆管注入造影剂帮助操作者在X线下精准定位结石^[3,8]。但对于ERCP失败无法置入鼻胆管的患者, 如何安全有效碎石, 减少并发症的发生是临床上所需解决的问题。

PTCD可用于恶性梗阻性黄疸姑息性胆道减压治疗、良性胆道狭窄或急性胆管炎需要引流减压等, 也可用于ERCP失败后引流胆道改善患者因胆道梗阻引发的问题。本文所报道案例, 在ERCP失败后利用PTCD解除梗阻, 为后续治疗创造了条件, 同时在碎石术中采取通过PTCD管注入造影剂, 帮助胆管结石显影, 并精准识别和定位胆管结石, 提高了碎石手术的成功率和安全性。但在PTCD置管后, 必须等待窦道形成才可拔除引流管。在此期间, 患者需要带管生活, 这将会对生存质量造成一定程度的影响, 并且增加了感染的风险。但可通过与患者宣教正确使用和维护导管的方法, 减少相关不良事件的发生。

对于一些高龄、基础条件差或结石巨大堵塞胆管导致ERCP导丝无法进入的困难胆管结石患者, 常规ERCP失败后可尝试使用PTCD解除梗阻、充分引流, 待一般情况好转后, 择期ESWL联合ERCP取石。但目前此类困难胆管结石的病例相对数量较少, 本文所采用的治疗方案尚未在临床广泛开展, 后续可开展相关研究, 为临床工作进一步提供参考意见。

6 结论

PTCD引导下ESWL联合ERCP治疗改道术后困难胆管结石具有良好的治疗效果, 且并未发现明显不良事件, 可为困难胆管结石的治疗提供参考。

7 参考文献

- 1 张金旺. 胆石症的研究进展与认识. 继续医学教育 2019; 33: 47-50
- 2 Manes G, Paspatis G, Aabakken L, Anderloni A, Arvanitakis M, Ah-Soune P, Barthet M, Domagk D, Dumonceau JM, Gigot JF, Hritz I, Karamanolis G, Laghi A, Mariani A, Paraskeva K, Pohl J, Ponchon T, Swahn F, Ter Steege RWF, Tringali A, Vezakis A, Williams EJ, van Hooft JE. Endoscopic management of common bile duct stones: European Society of Gastrointestinal Endoscopy (ESGE) guideline. *Endoscopy* 2019; 51: 472-491 [PMID: 30943551 DOI: 10.1055/a-0862-0346]
- 3 冯拥璞, 高野, 辛磊, 李兆申. 困难胆总管结石的内镜治疗进展. 临床肝胆病杂志 2021; 37: 229-232 [DOI: 10.3969/j.issn.1001-5256.2021.01.051]
- 4 胡冰. 困难胆管结石的ERCP诊治. 外科理论与实践 2022; 27: 189-192 [DOI: 10.16139/j.1007-9610.2022.03.002]
- 5 Tringali A, Costa D, Fugazza A, Colombo M, Khalaf K, Repici A, Anderloni A. Endoscopic management of difficult common bile duct stones: Where are we now? A comprehensive review. *World J Gastroenterol* 2021; 27: 7597-7611 [PMID: 34908801 DOI: 10.3748/wjg.v27.i44.7597]
- 6 Kruttsi C, Kida M, Yamauchi H, Iwai T, Imaizumi H, Koizumi W. Current status of endoscopic retrograde cholangiopancreatography in patients with surgically altered anatomy. *World J Gastroenterol* 2019; 25: 3313-3333 [PMID: 31341358 DOI: 10.3748/wjg.v25.i26.3313]
- 7 Wu WG, Gu J, Zhang WJ, Zhao MN, Zhuang M, Tao YJ, Liu YB, Wang XF. ERCP for patients who have undergone Billroth II gastroenterostomy and Braun anastomosis. *World J Gastroenterol* 2014; 20: 607-610 [PMID: 24574733 DOI: 10.3748/wjg.v20.i2.607]
- 8 杨金波. 体外冲击波碎石联合内镜逆行胰胆管造影治疗胆总管结石的临床观察. 浙江创伤外科 2022; 27: 742-744

科学编辑: 张砚梁 制作编辑: 张砚梁



ISSN 1009-3079 (print) ISSN 2219-2859 (online) DOI: 10.11569 © 2024 Baishideng Publishing Group Inc.
All rights reserved.

• 消息 •

《世界华人消化杂志》栏目设置

本刊讯 本刊栏目设置包括述评, 基础研究, 临床研究, 文献综述, 研究快报, 临床实践, 病例报告, 会议跟踪。文稿应具科学性、先进性、可读性及实用性, 重点突出, 文字简练, 数据可靠, 写作规范, 表达准确。



Published by **Baishideng Publishing Group Inc**
7041 Koll Center Parkway, Suite 160, Pleasanton,
CA 94566, USA
Telephone: +1-925-3991568
E-mail: bpgoffice@wjgnet.com
https://www.wjgnet.com



ISSN 1009-3079

