

世界华人消化杂志®

**WORLD CHINESE
JOURNAL OF DIGESTOLOGY**

Shijie Huaren Xiaohua Zazhi

2024 年 3 月 28 日 第 32 卷 第 3 期 (Volume 32 Number 3)



3 / 2024

ISSN 1009-3079



《世界华人消化杂志》是一本高质量的同行评议, 开放获取和在线出版的学术刊物. 本刊被国际检索系统《化学文摘(Chemical Abstracts, CA)》、《医学文摘库/医学文摘(EMBASE/Excerpta Medica, EM)》、《文摘杂志(Abstract Journal, AJ)》、Scopus、《中文科技期刊数据库(CSTJ)》和《超星期刊域出版平台(Superstar Journals Database)》数据库收录.



述评

- 171 人工智能辅助消化内镜诊断的进展
赵思琦, 刘文天
- 182 胃类器官: 迟来者的崛起
杨佳晨, 张宇航, 胡兵
- 192 色氨酸代谢与肝纤维化
吴辉星, 龙昌锐, 张振华, 陈宇莲, 王炎玉, 乡世健, 周本杰
- 199 胰腺分裂症的内镜微创治疗研究进展
王艳红
- 203 吸烟与胰腺损伤研究进展
魏雪, 郝建宇
- 208 炎症性肠病患者医院-家庭过渡期的护理研究进展
杨玲莉, 朱秀琴, 蔡小莉

文献综述

- 216 根除幽门螺杆菌对患者胃肠道微生态影响的研究现状及进展
胡国和, 裴静波
- 221 生物制剂与炎症性肠病恶性肿瘤发生风险关系的研究进展
毛雨晴, 孙少鹏, 吕宾, 范一宏

临床实践

- 228 基于Nrf2/HO-1信号通路探究胃复春胶囊辅助治疗重症肺炎合并应激性胃溃疡临床研究
苗燕燕, 孙康
- 236 舒芬太尼与芬太尼靶控输注对结直肠癌根治术患者麻醉苏醒质量、肺内氧合及氧化抗氧化系统影响的对比研究
陈青林, 葛伟炳, 吴刚, 陆叶兰

消 息

- 202 《代谢相关脂肪性肝病肝外并发症》书讯
215 《世界华人消化杂志》修回稿须知
220 《世界华人消化杂志》正文要求
227 《世界华人消化杂志》性质、刊登内容及目标
235 《世界华人消化杂志》参考文献要求

封面故事

本刊编委肖文华, 主任医师, 教授, 博士生导师, 肿瘤知名专家, 科研专长为消化系统肿瘤发病机制和早期诊断的研究. 解放军总医院第四医学中心肿瘤内科. 获得国自然4项、北京自然1项、北京首发基金2项; 带教硕、博士生20余名; 发表SCI文章20余篇, 获得国家发明专利10项, 军队科技进步奖2项.

本期责任人

编务 张砚梁; 送审编辑 张砚梁; 组版编辑 张砚梁; 英文编辑 王天奇;
形式规范审核编辑部主任 李香; 最终清样审核总编辑 马连生

世界华人消化杂志

Shijie Huaren Xiaohua Zazhi

吴阶平 题写封面刊名

陈可冀 题写版权刊名

(月刊)

创 刊 1993-01-15

改 刊 1998-01-25

出 版 2024-03-28

原刊名 新消化病学杂志

期刊名称

世界华人消化杂志

国际标准连续出版物号

ISSN 1009-3079 (print) ISSN 2219-2859 (online)

共同主编

党双锁, 博士, 教授, 研究员, 主任医师, 710004, 陕西省西安市, 西安交通大学医学院第二附属医院感染科

郭晓钟, 博士, 教授, 110840, 辽宁省沈阳市, 北部战区总医院消化内科

霍丽娟, 博士, 主任医师, 030001, 山西省太原市, 山西医科大学第一医院消化内科

江学良, 博士, 教授, 250001, 山东省济南市, 山东中医药大学第二附属医院消化中心

田艳涛, 博士, 教授, 主任医师, 100021, 北京市, 国

家癌症中心/中国医学科学院北京协和医学院肿瘤医院胰胃外科

王小众, 博士, 教授, 350001, 福建省福州市, 福建医科大学附属协和医院消化内科

姚登福, 博士, 教授, 226001, 江苏省南通市, 南通大学附属医院临床医学研究中心

张宗明, 博士, 教授, 100073, 北京市, 首都医科大学北京电力医院普外科

编辑委员会

编辑委员会成员在线名单, 详见:

<https://www.wjgnet.com/1009-3079/editorialboard.htm>

编辑部

王金磊, 主任

《世界华人消化杂志》编辑部

Baishideng Publishing Group Inc

7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA

Telephone: +1-925-3991568

E-mail: wcjd@wjgnet.com

<http://www.wjgnet.com>

出版

百世登出版集团有限公司

Baishideng Publishing Group Inc

7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA

Telephone: +1-925-3991568

E-mail: bpgoffice@wjgnet.com

<https://www.wjgnet.com>

制作

北京百世登生物医学科技有限公司
100025, 北京市朝阳区东四环中路
62号, 远洋国际中心D座903室
电话: +86-10-85381901

《世界华人消化杂志》是一本高质量的同行评议, 开放获取和在线出版的学术刊物. 本刊被国际检索系统《化学文摘(Chemical Abstracts, CA)》、《医学文摘库/医学文摘(EMBASE/Excerpta Medica, EM)》、《文摘杂志(Abstract Journal, AJ)》、Scopus、《中文科技期刊数据库(CSTJ)》和《超星期刊域出版平台(Superstar Journals Database)》数据库收录.

《世界华人消化杂志》正式开通了在线办公系统(<https://www.baishideng.com>), 所有办公流程一律可以在线进行, 包括投稿、审稿、编辑、审读, 以及作者、读者和编者之间的信息反馈交流.

特别声明

本刊刊出的所有文章不代表本刊编辑部和本刊编委会的观点, 除非特别声明. 本刊如有印装质量问题, 请向本刊编辑部调换.

定价

每期136.00元 全年12期1632.00元

© 2024 Baishideng Publishing Group Inc. All rights reserved.

Contents

Volume 32 Number 3 March 28, 2024

EDITORIAL

- 171 Progress in artificial intelligence assisted digestive endoscopy diagnosis of digestive system diseases
Zhao SQ, Liu WT
- 182 Gastric organoids: Rise of a latecomer
Yang JC, Zhang YH, Hu B
- 192 Tryptophan metabolism and liver fibrosis
Wu HX, Long CR, Zhang ZH, Chen YL, Wang YY, Xiang SJ, Zhou BJ
- 199 Advances in minimally invasive endoscopic treatment of pancreatic divisum
Wang YH
- 203 Progress in understanding of relationship between smoking and pancreatic injury
Wei X, Hao JY
- 208 Progress in hospital-home transitional care for patients with inflammatory bowel disease
Yang LL, Zhu XQ, Cai XL

REVIEW

- 216 Progress in understanding of impact of *Helicobacter pylori* eradication on gastrointestinal microecology
Hu GH, Pei JB
- 221 Progress in understanding of relationship between use of biological agents and risk of malignant tumors in patients with inflammatory bowel disease
Mao YQ, Sun SP, Lv B, Fan YH

CLINICAL PRACTICE

- 228 Weifuchun capsules exhibit therapeutic effects in adjuvant treatment of severe pneumonia complicated with gastric stress ulcer by up-regulating the nuclear factor erythroid 2 related factor 2/heme oxygenase-1 signaling pathway
Miao YY, Sun K
- 236 Comparison of effects of sufentanil and fentanyl target-controlled infusion on quality of awakening from anesthesia, intrapulmonary oxygenation, and oxidative-antioxidant system in patients undergoing radical surgery for colorectal cancer
Chen QL, Ge WB, Wu G, Lu YL

Contents

World Chinese Journal of Digestology
Volume 32 Number 3 March 28, 2024

COVER

Editorial Board Member of *World Chinese Journal of Digestology*, Wen-Hua Xiao, Chief Physician, Professor, Doctoral Supervisor, Senior Department of Oncology, Chinese PLA General Hospital, No. 51 Fucheng Road, Haidian District, Beijing 100048, China. w_hxiao@hotmail.com

Indexed/Abstracted by

Chemical Abstracts, EMBASE/Excerpta Medica, Abstract Journals, Scopus, CSTJ and Superstar Journals Database.

RESPONSIBLE EDITORS FOR THIS ISSUE

Assistant Editor: *Yan-Liang Zhang*

Review Editor: *Yan-Liang Zhang*

Production Editor: *Yan-Liang Zhang*

English Language Editor: *Tian-Qi Wang*

Proof Editor: *Xiang Li*

Layout Reviewer: *Lian-Sheng Ma*

Shijie Huaren Xiaohua Zazhi

Founded on January 15, 1993

Renamed on January 25, 1998

Publication date March 28, 2024

NAME OF JOURNAL

World Chinese Journal of Digestology

ISSN

ISSN 1009-3079 (print) ISSN 2219-2859 (online)

CO-EDITORS-IN-CHIEF

Shuang-Suo Dang, Professor, Department of Infectious Diseases, The Second Affiliated Hospital of Medical School of Xi'an Jiaotong University, Xi'an 710004, Shaanxi Province, China

Xiao-Zhong Guo, Professor, Department of Gastroenterology, North Theater General Hospital, Shenyang 110840, Liaoning Province, China

Li-Juan Huo, Chief Physician, Department of Gastroenterology, The First Hospital of Shanxi Medical University, Taiyuan 030001, Shanxi Province, China

Xue-Liang Jiang, Professor, Digestive Center of The Second Affiliated Hospital of Shandong University of Traditional Chinese Medicine, Jinan 250001, Shandong Province, China

Yan-Tao Tian, Professor, Chief Physician, National Cancer Center/Department of Pancreatic and Gastric Surgery, Cancer Hospital, Chinese Academy of Medical Sciences and Peking Union Medical College, Beijing

100021, China

Xiao-Zhong Wang, Professor, Department of Gastroenterology, Union Hospital, Fujian Medical University, Fuzhou 350001, Fujian Province, China

Deng-Fu Yao, Professor, Clinical Research Center, Affiliated Hospital of Nantong University, Nantong 226001, Jiangsu Province, China

Zong-Ming Zhang, Professor, Department of General Surgery, Beijing Electric Power Hospital, Capital Medical University, Beijing 100073, China

EDITORIAL BOARD MEMBERS

All editorial board members resources online at <https://www.wjgnet.com/1009-3079/editorialboard.htm>

EDITORIAL OFFICE

Jin-Lei Wang, Director

World Chinese Journal of Digestology

Baishideng Publishing Group Inc

7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA

Telephone: +1-925-3991568

E-mail: wjcd@wjgnet.com

<https://www.wjgnet.com>

PUBLISHER

Baishideng Publishing Group Inc

7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA

Telephone: +1-925-3991568

E-mail: bpgoffice@wjgnet.com

<https://www.wjgnet.com>

PRODUCTION CENTER

Beijing Baishideng BioMed Scientific Co., Limited Room 903, Building D, Ocean International Center, No. 62 Dongsihuan Zhonglu, Chaoyang District, Beijing 100025, China
Telephone: +86-10-85381901

PRINT SUBSCRIPTION

RMB 136 Yuan for each issue

RMB 1632 Yuan for one year

COPYRIGHT

© 2024 Baishideng Publishing Group Inc. Articles published by this open access journal are distributed under the terms of the Creative Commons Attribution Non-commercial License, which permits use, distribution, and reproduction in any medium, provided the original work is properly cited, the use is non commercial and is otherwise in compliance with the license.

SPECIAL STATEMENT

All articles published in journals owned by the Baishideng Publishing Group (BPG) represent the views and opinions of their authors, but not the views, opinions or policies of the BPG, except where otherwise explicitly indicated.

INSTRUCTIONS TO AUTHORS

Full instructions are available online at <https://www.wjgnet.com/1009-3079/Nav/36>. If you do not have web access, please contact the editorial office.

色氨酸代谢与肝纤维化

吴辉星, 龙昌锐, 张振华, 陈宇莲, 王炎玉, 乡世健, 周本杰

吴辉星, 龙昌锐, 张振华, 陈宇莲, 王炎玉, 乡世健, 周本杰, 中山大学附属第七医院药学部 广东省深圳市 518107

吴辉星, 龙昌锐, 张振华, 陈宇莲, 王炎玉, 乡世健, 周本杰, 深圳市中药活性物质筛选与转化重点实验室 广东省深圳市 518107

吴辉星, 硕士在读, 研究方向为色氨酸代谢与肝纤维化.

基金项目: 国家自然科学基金, No. 82074078; 广东省自然科学基金, No. 2021A1515010567和No. 2022A1515010748; 深圳市中药活性物质筛选与转化重点实验室, No. ZDSYS20220606100801003.

作者贡献分布: 本文撰写由吴辉星和龙昌锐完成; 张振华、陈宇莲和王炎玉负责收集文献; 乡世健和周本杰负责指导并修改本文.

通讯作者: 周本杰, 博士, 主任药师, 518107, 广东省深圳市光明区圳园路628号, 中山大学附属第七医院药学部. zhoubj23@mail.sysu.edu.cn

收稿日期: 2024-01-04

修回日期: 2024-02-06

接受日期: 2024-03-14

在线出版日期: 2024-03-28

Tryptophan metabolism and liver fibrosis

Hui-Xing Wu, Chang-Rui Long, Zhen-Hua Zhang, Yu-Lian Chen, Yan-Yu Wang, Shi-Jian Xiang, Ben-Jie Zhou

Hui-Xing Wu, Chang-Rui Long, Zhen-Hua Zhang, Yu-Lian Chen, Yan-Yu Wang, Shi-Jian Xiang, Ben-Jie Zhou, Department of Pharmacy, The Seventh Affiliated Hospital, Sun Yat-sen University, Shenzhen 518107, Guangdong Province, China

Hui-Xing Wu, Chang-Rui Long, Zhen-Hua Zhang, Yu-Lian Chen, Yan-Yu Wang, Shi-Jian Xiang, Ben-Jie Zhou, Shenzhen Key Laboratory of Chinese Medicine Active Substance Screening and Translational Research, Shenzhen 518107, Guangdong Province, China

Supported by: National Natural Science Foundation of China, No. 82074078; Natural Science Foundation of Guangdong Province, No. 2021A1515010567 and No. 2022A1515010748; Shenzhen Key Laboratory of Chinese Medicine Active Substance Screening and Translational Research, No. ZDSYS20220606100801003.

Corresponding author: Ben-Jie Zhou, Doctor, Chief Pharmacist, Department of Pharmacy, The Seventh Affiliated Hospital, Sun Yat-sen University, No. 628 Zhenyuan Road, Shenzhen 518107, Guangdong Province, China. zhoubj23@mail.sysu.edu.cn

Received: 2024-01-04

Revised: 2024-02-06

Accepted: 2024-03-14

Published online: 2024-03-28

Abstract

Liver fibrosis is a pathological syndrome characterized by continuous damage and self-repair of liver tissue under prolonged inflammatory conditions, resulting in the formation of fibrotic scars with excessive deposition of the extracellular matrix. Common causes of liver fibrosis include alcoholic fatty liver disease, non-alcoholic hepatitis, cholestatic liver disease, chemical liver injury, viral hepatitis, and others. Liver fibrosis, if left uncontrolled under persistent inflammatory stimuli, may further progress to cirrhosis and even hepatocellular carcinoma, significantly impacting the treatment burden and quality of life for patients. In recent years, research has indicated that tryptophan and its metabolic products play a crucial regulatory role in the occurrence and progression of liver fibrosis. This article aims to review the progress in the understanding of the relationship between tryptophan metabolism and liver fibrosis, in order to provide some clues to the treatment of this condition.

© The Author(s) 2024. Published by Baishideng Publishing Group Inc. All rights reserved.

Key Words: Tryptophan metabolism; Liver fibrosis; Pathogenesis

Citation: Wu HX, Long CR, Zhang ZH, Chen YL, Wang YY, Xiang SJ, Zhou BJ. Tryptophan metabolism and liver fibrosis. *Shijie Huaren Xiaohua Zazhi* 2024; 32(3): 192-198

URL: <https://www.wjgnet.com/1009-3079/full/v32/i3/192.htm>

DOI: <https://dx.doi.org/10.11569/wcjd.v32.i3.192>

摘要

肝纤维化是一种肝脏组织在长期炎症状态下持续损伤和自我修复形成纤维化瘢痕的过程, 以细胞外基质过度沉积为特征的病理综合征。目前肝纤维化常见的病因包括酒精性脂肪肝炎、非酒精性肝炎、胆汁淤积性肝病、化学性肝损伤、病毒性肝炎等。肝纤维化是肝硬化和肝功能衰竭的主要前期阶段, 在持续炎症刺激下, 若不加以控制, 可能会进一步发展成肝硬化, 乃至肝癌, 对患者的治疗负担和生存质量产生重要影响。近年来, 研究表明色氨酸及其代谢产物在肝纤维化的发生和进展中起着重要的调控作用, 本文将综述色氨酸代谢与肝纤维化的相关研究进展, 以期深入了解其潜在的治疗价值。

© The Author(s) 2024. Published by Baishideng Publishing Group Inc. All rights reserved.

关键词: 色氨酸代谢; 肝纤维化; 发病机制

核心提要: 色氨酸代谢与肝纤维化之间的微妙关系, 近年来在生物医学领域引起了广泛关注。色氨酸, 作为人体不可或缺的氨基酸之一, 其代谢途径在维持生理稳态中发挥着至关重要的作用。而肝纤维化, 作为多种慢性肝病的共同病理基础, 其发展过程涉及复杂的细胞与分子机制。本文将深入探讨色氨酸代谢与肝纤维化之间的内在联系, 以期对相关疾病的治疗提供新的启示。

文献来源: 吴辉星, 龙昌锐, 张振华, 陈宇莲, 王炎玉, 乡世健, 周本杰. 色氨酸代谢与肝纤维化. 世界华人消化杂志 2024; 32(3): 192–198

URL: <https://www.wjgnet.com/1009-3079/full/v32/i3/192.htm>

DOI: <https://dx.doi.org/10.11569/wjcd.v32.i3.192>

0 引言

色氨酸代谢与肝纤维化之间的关系近年来逐渐成为生物医学领域的研究热点。色氨酸, 作为一种必需氨基酸, 在人体内参与多种重要的生理过程, 其代谢途径的异常往往与多种疾病的发生发展密切相关^[1]。肝纤维化是慢性肝病最常见的病理过程, 每年导致全球超过100万人死亡^[2], 而作为慢性肝病的一个共同病理过程, 其发生机制复杂, 涉及多种细胞及分子的相互作用^[3]。本文旨在对色氨酸代谢与肝纤维化的相关研究进行综述, 探讨二者之间的潜在联系。

1 肝纤维化的病理生理机制

肝纤维化是一种肝脏组织在长期炎症状态下持续损伤和自我修复形成纤维化瘢痕的过程, 以细胞外基质(extracellular matrix, ECM)过度沉积为特征导致正常肝组织逐渐被纤维组织所取代的病理综合征。目前肝纤维化常见的病因包括酒精性脂肪肝炎、非酒精性肝炎、胆

汁淤积性肝病、化学性肝损伤、病毒性肝炎等。肝纤维化是肝硬化和肝功能衰竭的主要前期阶段, 在持续炎症刺激下, 若不加以控制, 可能会进一步发展成肝硬化, 乃至肝癌, 对患者的治疗负担和生存质量产生重要影响^[3]。肝纤维化的发病机制涉及多种分子、细胞和生理过程的交互作用, 目前认为肝纤维化的发病机制主要如下。

1.1 炎症介质的释放 肝纤维化的初始触发因素通常是肝脏遭受长期、持续的炎症和细胞损伤。这种损伤可以由各种原因引发, 包括病毒感染(如乙型肝炎病毒和丙型肝炎病毒)、酒精滥用、非酒精性脂肪性肝病、药物或毒物暴露以及自身免疫性肝炎等。当肝脏受到损伤时, 炎症介质如肿瘤坏死因子- α 、白细胞介素(interleukin IL, IL)-1 β 和IL-6等被释放出来, 吸引免疫细胞进入受损区域。这些免疫细胞包括巨噬细胞、自然杀伤细胞和T淋巴细胞, 它们发挥着炎症和免疫反应的关键作用; 这些细胞因子可以进一步促进炎症反应, 并刺激肝星状细胞的活化^[4-6]。

1.2 肝星状细胞的激活 肝星状细胞的活化是肝纤维化的一大特征^[7], 慢性炎症刺激可导致肝内星状细胞的激活, 这是肝脏中的主要细胞类型之一。活化的星状细胞会分化成肌成纤维细胞进而开始合成和分泌胶原蛋白、纤维连接蛋白和脂质等细胞外基质蛋白质。这些蛋白质在肝组织中逐渐积累, 形成纤维疤痕。

1.3 细胞损伤和凋亡 肝细胞损伤与凋亡在肝纤维化中起着重要的作用。一方面, 细胞凋亡可导致肝细胞数量减少, 为肝细胞纤维化提供空间。在肝细胞凋亡的过程中, 受损细胞逐步死亡, 机体对损伤细胞的反应会导致肝细胞数量的减少, 从而为肝纤维化的发生提供空间。此外, 细胞凋亡在肝纤维化的炎症环境中具有诱导作用。细胞凋亡产生的相关信号会引起机体的免疫反应, 迅速启动肝纤维化的发生过程, 进一步代替受损的正常肝细胞^[8]。另一方面, 尤其是反复的或持续的损伤, 可以引发肝脏的炎症反应, 进而导致纤维化的发生。损伤的肝细胞会释放一系列的炎症信号分子(IL-6, IL-1 β 等), 这些信号分子可以吸引免疫细胞到损伤部位, 引发炎症反应。持续的炎症反应会刺激肝脏中的星状细胞活化, 转化为肌成纤维细胞, 产生大量的细胞外基质, 最终导致肝纤维化的形成, 从而加剧了纤维化的进展^[6]。

1.4 胶原沉积和纤维疤痕形成 活化的星状细胞分化而成的肌成纤维细胞不仅合成胶原蛋白, 还分泌其他细胞外基质成分, 如纤维连接蛋白。这些物质在肝组织中沉积, 形成初级纤维疤痕。逐渐, 这些疤痕不断增多, 扩展, 并且可导致肝脏结构的紊乱和功能的丧失, 而一旦开始形成纤维疤痕, 它们可以成为炎症的循环点。炎症继续诱导星状细胞活化和胶原沉积, 导致纤维疤痕的扩展和

加重。基质金属蛋白酶(matrix metalloproteinases, MMPs)能够降解细胞外基质, 而基质金属蛋白酶抑制剂(tissue inhibitor of metal protease, TIMPs)能够抑制MMPs的活性。在激活态的肝星状细胞中高度表达TIMPs, 抑制激活态的肝星状细胞的凋亡, 这种正反馈循环是肝纤维化进展的关键^[9,10]。

1.5 细胞因子和生长因子的释放 生长因子如转化生长因子- β 和血小板衍生生长因子(platelet-derived growth factor, PDGF)在肝纤维化中发挥关键作用^[11], 它们刺激了胶原的合成。其他细胞因子如IL-13也涉及在纤维化的调控中^[4,5]。巨噬细胞中的卵泡抑素样蛋白(follistatin-like protein 1, FSTL1)被证明在人和小鼠的巨噬细胞中表达明显升高^[12]。巨噬细胞中表达的IL-17A被认为可能是一个潜在的饮酒导致的肝脏疾病的靶点^[13,14]。

1.6 氧化应激的产生 氧化应激是肝纤维化的另一个重要机制。氧化应激是由自由基和抗氧化失衡引起的, 可以导致细胞膜和DNA的氧化损伤, 促进炎症和细胞死亡, 加剧纤维化的进程^[15]。

总之, 肝纤维化的发病机制是一个高度复杂的过程, 涉及多个细胞类型、分子通路和互相作用的事件。深入了解这些机制有助于开发更有效的治疗策略, 以干预和减缓肝纤维化的进展。这些治疗策略可能包括药物、营养支持、生物学疗法和干细胞治疗等。

2 色氨酸代谢与肝纤维化的关系

色氨酸是一种带有芳香基团的人类必需氨基酸, 对于人类和动物来说, 它是无法自身合成而必须从食物中获取的, 通过食物摄入后在体内经过多种代谢途径生成多种生物活性物质。色氨酸代谢主要涉及犬尿氨酸、5-羟色胺和吲哚等途径。这些代谢产物在人体内发挥重要的生理功能, 如调节免疫应答、参与神经递质合成等。在肝病方面, 研究发现色氨酸代谢紊乱与肝纤维化的发生和发展密切相关。有研究报道^[16], 在严重酒精性肝炎患者中, 血清色氨酸水平与天门冬氨酸氨基转移酶(aspartate aminotransferase, AST)、胆红素等成反比, 提示酒精性肝炎患者色氨酸代谢受损。总的来说, 色氨酸可以通过多种途径影响肝脏内的炎症反应和氧化应激反应, 从而参与肝纤维化的形成过程。另一方面, 色氨酸还可以影响肝脏内的胶原合成和降解平衡, 进一步加剧肝纤维化的程度^[17,18]。

2.1 犬尿氨酸代谢途径与肝纤维化 犬尿氨酸代谢途径是色氨酸的主要代谢途径之一, 超过95%的色氨酸通过该途径在肝脏进行代谢。在这个过程中, 色氨酸首先被色氨酸-2,3-双加氧酶(tryptophan-2,3-dioxygenase, TDO)或吲哚胺-2,3-双加氧酶(indoleamine-2,3-dioxygenase, IDO)

催化开环, 生成N-甲酰基犬尿氨酸。随后, N-甲酰基犬尿氨酸经过一系列酶促反应, 最终转化为犬尿氨酸^[19]。犬尿氨酸可以进一步代谢为其他化合物, 如尼克酸(维生素B3)等, 参与能量代谢和细胞信号传导等过程^[20]。代谢酶TDO和IDO1/2, TDO主要存在于肝脏中, IDO在各个组织均有分布^[17]; 有研究表明^[21,22] IDO1缺乏和使用IDO1抑制剂会加重CCl₄诱导的肝纤维化, 同时在血清中发现IDO1水平下降时, TDO会代偿性升高, 这是一个值得令人注意的信号。犬尿氨酸被证明能提高成纤维细胞中MMPs的表达, 减弱组织纤维化的反应^[23]。令人意外的是在肝脏急性失代偿和急性-慢性肝衰竭的患者与健康人群比较发现, 肝脏急性失代偿和急性-慢性肝衰竭的患者犬尿氨酸和IDO水平偏高^[24]。

2.2 吲哚代谢途径与肝纤维化 在吲哚代谢途径中, 吲哚代谢和肝纤维化之间存在一定的关系, 但是这种关系并不是直接的, 而是通过多种机制相互作用。色氨酸在肠道内被肠道细菌分解代谢, 生成吲哚和吲哚衍生物, 包括吲哚乙酸、吲哚丙烯酸、吲哚-3-丙酸和吲哚乙醛等, 这些化合物在肠道内发挥重要的生理功能^[25]。有研究表明^[26-28], 这类吲哚衍生物为芳香烃受体(aryl hydrocarbon receptor, AhR)的配体, 能够对AhR具有激活作用, 进而产生抗炎等作用, 在体内对结肠炎和代谢综合征显示出了良好的效果。AhR在肝脏中高表达, 是一种成熟的异生物质受体, 可感知环境毒物并调节异生物质代谢^[29]。AhR的激动与免疫系统的调节密切相关, 已有研究表明在AhR低表达的致病性Th17细胞可促进组织炎症, 同时AhR可促进Th17细胞分化和 $\gamma\delta$ T细胞产生IL-22, 这表明AhR具有调节炎症反应的能力, 且可能与IL-22的合成相关^[30]。IL-22是IL-10细胞因子家族的成员, 主要由Th17/22细胞、 $\gamma\delta$ T细胞、自然杀伤T细胞和先天淋巴样细胞分泌^[31], 主要靶向非造血细胞, 如肝、肺、肾、胰腺和肠^[32,33]。大量研究表明^[34-36], IL-22并对不同病因引起实验小鼠模型中对肝纤维化具有保护作用。另一方面, 吲哚是一种具有特殊气味的化合物, 它在肠道内与肠道菌群相互作用, 对肠道健康有一定影响。此外, 一些吲哚衍生物还具有生物活性, 如抗炎、抗氧化等作用。吲哚-3-丙酸(indole-3-propionic acid, IPA)主要通过抗氧化、抗炎作用和维护肠道稳态来改善肝纤维化^[37,38]。首先, IPA具有抗氧化的特性, 可以帮助清除体内的氧化应激产物, 减少氧化应激反应对细胞的损伤。氧化应激是炎症反应的一个重要环节, 因此, 通过抗氧化作用, IPA可以间接地抑制炎症反应。其次, IPA还可以直接抑制炎症反应。它可以调节炎症相关基因的表达, 减少炎症介质的产生和释放, 从而降低炎症反应的强度和持续时间。另一方面, 色氨酸代谢产物吲哚丙烯酸(indoleacrylic acid, IA)在脂




图 1 色氨酸代谢途径。¹: AhR配体; TDO: 色氨酸-2,3-双加氧酶; IDO: 吲哚胺-2,3-双加氧酶; TPH1: 色氨酸羟化酶; MAO-A: 单胺氧化酶。

多糖激活的人外周血单个核细胞中具有抗炎和抗氧化作用, 可减少IL-6和IL-1 β 的分泌并激活NRF2-ARE通路, 提示IA具有抗炎作用并对可调节宿主的免疫^[39]。总的来说, 炎症反应、氧化应激损伤和细胞凋亡等是激活肝星状细胞(hepatic stellate cell, HSCs)的重要因素, 而HSCs的激活是肝纤维化形成过程中的关键事件。吲哚代谢产物的抗炎和抗氧化作用可能有助于减轻肝脏的炎症反应和氧化应激, 从而抑制HSCs的激活和减少肝纤维化的发生。再者, 肠道-微生物群-肝轴是预防和治疗肝纤维化进展的一个潜在靶点^[40,41], 有研究报道^[42,43], 灵芝的提取物熊果酸可以调节肠道菌群, 维持肠道微生物稳态, 抑制肝脏炎症, 保护肝细胞。拟杆菌属、产气荚膜杆菌属、丁酸弧菌属、乳杆菌属和双歧杆菌属等能够在肠道中将色氨酸分解代谢成吲哚及其衍生物进一步发挥维护肠道稳态, 保护肠屏障功能和改善肝纤维化的作用^[44,45]。目前对于吲哚代谢途径与肝纤维化之间关系的研究还处于初级阶段, 具体的分子机制和信号通路尚不完全清楚。未来的研究需要进一步深入探索吲哚代谢途径在肝纤维化中的作用, 以及开发基于该途径的治疗策略来预防和治疗肝纤维化。

2.3 5-羟色胺途径与肝纤维化 5-羟色胺代谢途径是色氨酸在神经系统中的重要代谢途径。在这个过程中, 色氨酸首先被色氨酸羟化酶催化, 生成5-羟色胺酸。随后, 5-羟色胺酸经过脱羧反应, 生成神经递质5-羟色胺(5-HT也被称为血清素)。5-HT是一种在中枢神经系统以及胃

肠道的肠嗜铬细胞中合成的神经内分泌激素, 其广泛存在于中枢神经系统和外周组织中, 包括肝脏。在肝脏中, 5-HT可以通过其受体介导的信号通路影响肝细胞的生长、增殖和凋亡等生物学过程^[46,47]。这些过程与肝纤维化的发生和发展密切相关。色氨酸羟化酶1和单胺氧化酶分别是5-HT合成和分解代谢的关键酶。先前的研究表明^[48,49], 5-羟色胺受体(5HTR)1A/1B受体激动剂可抑制胆管结扎大鼠的胆道增生, 而5HTR2B受体拮抗剂可减轻小鼠的肝纤维化。有研究报道^[50]5-HT可通过5HTR2B受体激活可以活化大鼠的肝星状细胞促进肝纤维化。有趣的是, 5-羟色胺7受体在四氯化碳诱导的肝纤维化模型中低表达, 而5-羟色胺7受体激动剂能够改善肝纤维化^[51]。由此表明, 5-羟色胺不同受体在肝纤维化中起着不同的作用。

总的来说, 犬尿氨酸代谢途径、吲哚代谢途径和5-HT代谢途径, 这三条代谢途径在机体内相互交织、相互影响, 共同维持色氨酸代谢的平衡。色氨酸代谢的异常可能导致一系列疾病的发生和发展, 如神经精神疾病、免疫系统疾病和肝脏疾病等。因此, 对色氨酸代谢的研究具有重要的理论和实际意义(图1)。

3 潜在的治疗策略与展望

基于色氨酸代谢的5-HT、犬尿氨酸和吲哚代谢三条代谢途径, 针对色氨酸代谢紊乱与肝纤维化的关系, 潜在的治疗策略主要包括调节限速酶的活性、补充或抑制

相关代谢产物等。

对于犬尿氨酸途径, 补充犬尿氨酸或其前体物质可能有助于减轻肝细胞损伤和延缓肝纤维化的进展^[52], 过表达IDO能够增加犬尿氨酸的表达和MMPs的表达, 从而改善肝纤维化^[53]。

对于5-HT途径, 使用5-HT受体拮抗剂或抑制5-HT合成酶的药物可能有助于减缓肝纤维化的进程^[54]; 5-羟色胺2A受体拮抗剂可以改善肝纤维化^[55]等, 进一步研究相关受体在肝纤维化中的作用。

对于吲哚代谢途径, 调节肠道微生物菌群平衡以改善吲哚代谢可能有助于预防和治疗肝纤维化^[56]。犬尿氨酸、吲哚及其衍生物为AhR配体, 能够与AhR结合发挥抗炎调节免疫作用, 直接给予吲哚及其衍生物或直接激活AhR可成为治疗肝纤维化的新方向。

然而, 目前关于色氨酸代谢与疾病的研究仍处于初级阶段, 尚需进一步深入探讨其具体机制和潜在治疗策略的有效性及其安全性。未来研究方向可包括进一步揭示色氨酸代谢在肝脏疾病中的具体作用机制、开展大规模临床试验以验证潜在治疗策略的疗效和安全性以及探索针对不同患者群体的个性化治疗方案。通过综合研究和实践应用, 有望为疾病的预防和治疗提供更多有效途径。

4 结论

本文综述了色氨酸代谢与肝纤维化关系的研究进展, 重点探讨了色氨酸代谢途径、代谢产物以及其在肝纤维化中的作用机制。随着对色氨酸代谢紊乱与疾病关系的深入研究, 有望为疾病的预防和治疗提供更多有效途径。然而, 目前关于色氨酸代谢与肝纤维化的研究仍处于初级阶段, 尚需进一步深入探讨其具体机制和潜在治疗策略的有效性及其安全性。未来研究方向可包括进一步揭示色氨酸代谢在疾病中的具体作用机制、开展大规模临床试验以验证潜在治疗策略的疗效和安全性以及探索针对不同患者群体的个性化治疗方案。

5 参考文献

- Comai S, Bertazzo A, Brughera M, Crotti S. Tryptophan in health and disease. *Adv Clin Chem* 2020; 95: 165-218 [PMID: 32122523 DOI: 10.1016/bs.acc.2019.08.005]
- Mokdad AA, Lopez AD, Shahrzaz S, Lozano R, Mokdad AH, Stanaway J, Murray CJ, Naghavi M. Liver cirrhosis mortality in 187 countries between 1980 and 2010: a systematic analysis. *BMC Med* 2014; 12: 145 [PMID: 25242656 DOI: 10.1186/s12916-014-0145-y]
- Roehlen N, Crouchet E, Baumert TF. Liver Fibrosis: Mechanistic Concepts and Therapeutic Perspectives. *Cells* 2020; 9 [PMID: 32260126 DOI: 10.3390/cells9040875]
- Kisseleva T, Brenner D. Molecular and cellular mechanisms of liver fibrosis and its regression. *Nat Rev Gastroenterol Hepatol* 2021;

- 18: 151-166 [PMID: 33128017 DOI: 10.1038/s41575-020-00372-7]
- Caligiuri A, Gentilini A, Pastore M, Gitto S, Marra F. Cellular and Molecular Mechanisms Underlying Liver Fibrosis Regression. *Cells* 2021; 10 [PMID: 34685739 DOI: 10.3390/cells10102759]
- Peiseler M, Schwabe R, Hampe J, Kubus P, Heikenwälder M, Tacke F. Immune mechanisms linking metabolic injury to inflammation and fibrosis in fatty liver disease - novel insights into cellular communication circuits. *J Hepatol* 2022; 77: 1136-1160 [PMID: 35750137 DOI: 10.1016/j.jhep.2022.06.012]
- Nakano Y, Kamiya A, Sumiyoshi H, Tsuruya K, Kagawa T, Inagaki Y. A Deactivation Factor of Fibrogenic Hepatic Stellate Cells Induces Regression of Liver Fibrosis in Mice. *Hepatology* 2020; 71: 1437-1452 [PMID: 31549421 DOI: 10.1002/hep.30965]
- Jiang M, Huang C, Wu Q, Su Y, Wang X, Xuan Z, Wang Y, Xu F, Ge C. Sini San ameliorates CCl4-induced liver fibrosis in mice by inhibiting AKT-mediated hepatocyte apoptosis. *J Ethnopharmacol* 2023; 303: 115965 [PMID: 36460296 DOI: 10.1016/j.jep.2022.115965]
- Parola M, Pinzani M. Liver fibrosis: Pathophysiology, pathogenetic targets and clinical issues. *Mol Aspects Med* 2019; 65: 37-55 [PMID: 30213667 DOI: 10.1016/j.mam.2018.09.002]
- Iredale JP, Thompson A, Henderson NC. Extracellular matrix degradation in liver fibrosis: Biochemistry and regulation. *Biochim Biophys Acta* 2013; 1832: 876-883 [PMID: 23149387 DOI: 10.1016/j.bbdis.2012.11.002]
- Gao J, Wei B, de Assuncao TM, Liu Z, Hu X, Ibrahim S, Cooper SA, Cao S, Shah VH, Kostallari E. Hepatic stellate cell autophagy inhibits extracellular vesicle release to attenuate liver fibrosis. *J Hepatol* 2020; 73: 1144-1154 [PMID: 32389810 DOI: 10.1016/j.jhep.2020.04.044]
- Rao J, Wang H, Ni M, Wang Z, Wang Z, Wei S, Liu M, Wang P, Qiu J, Zhang L, Wu C, Shen H, Wang X, Cheng F, Lu L. FSTL1 promotes liver fibrosis by reprogramming macrophage function through modulating the intracellular function of PKM2. *Gut* 2022; 71: 2539-2550 [PMID: 35140065 DOI: 10.1136/gutjnl-2021-325150]
- Ma HY, Yamamoto G, Xu J, Liu X, Karin D, Kim JY, Alexandrov LB, Koyama Y, Nishio T, Benner C, Heinz S, Rosenthal SB, Liang S, Sun M, Karin G, Zhao P, Brodt P, McKillop IH, Quehenberger O, Dennis E, Saitel A, Tsukamoto H, Gao B, Karin M, Brenner DA, Kisseleva T. IL-17 signaling in steatotic hepatocytes and macrophages promotes hepatocellular carcinoma in alcohol-related liver disease. *J Hepatol* 2020; 72: 946-959 [PMID: 31899206 DOI: 10.1016/j.jhep.2019.12.016]
- Piobbico D, Bartoli D, Pieroni S, De Luca A, Castelli M, Romani L, Servillo G, Della-Fazia MA. Role of IL-17RA in the proliferative priming of hepatocytes in liver regeneration. *Cell Cycle* 2018; 17: 2423-2435 [PMID: 30395772 DOI: 10.1080/15384101.2018.1542893]
- Liu Y, Lu T, Zhang C, Xu J, Xue Z, Busuttill RW, Xu N, Xia Q, Kupiec-Weglinski JW, Ji H. Activation of YAP attenuates hepatic damage and fibrosis in liver ischemia-reperfusion injury. *J Hepatol* 2019; 71: 719-730 [PMID: 31201834 DOI: 10.1016/j.jhep.2019.05.029]
- Wrzosek L, Ciocan D, Hugot C, Spatz M, Dupeux M, Houron C, Lievin-Le Moal V, Puchois V, Ferrere G, Trainel N, Mercier-Nomé F, Durand S, Kroemer G, Voican CS, Emond P, Straube M, Sokol H, Perlemuter G, Cassard AM. Microbiota tryptophan metabolism induces aryl hydrocarbon receptor activation and improves alcohol-induced liver injury. *Gut* 2021; 70: 1299-1308 [PMID: 33004548 DOI: 10.1136/gutjnl-2020-321565]
- Xue C, Li G, Zheng Q, Gu X, Shi Q, Su Y, Chu Q, Yuan X, Bao Z, Lu J, Li L. Tryptophan metabolism in health and disease. *Cell Metab* 2023; 35: 1304-1326 [PMID: 37352864 DOI: 10.1016/j.cmet.2023.06.004]
- Myśliwiec P, Pawlak D. [Kynurenic pathway in health and disease]. *Postępy Hig Med Dosw* 2000; 54: 239-252 [PMID: 10857383]
- Yeung AW, Terentis AC, King NJ, Thomas SR. Role of

- indoleamine 2,3-dioxygenase in health and disease. *Clin Sci (Lond)* 2015; 129: 601-672 [PMID: 26186743 DOI: 10.1042/CS20140392]
- 20 Chini CCS, Zeidler JD, Kashyap S, Warner G, Chini EN. Evolving concepts in NAD(+) metabolism. *Cell Metab* 2021; 33: 1076-1087 [PMID: 33930322 DOI: 10.1016/j.cmet.2021.04.003]
 - 21 Fatokun AA, Hunt NH, Ball HJ. Indoleamine 2,3-dioxygenase 2 (IDO2) and the kynurenine pathway: characteristics and potential roles in health and disease. *Amino Acids* 2013; 45: 1319-1329 [PMID: 24105077 DOI: 10.1007/s00726-013-1602-1]
 - 22 Ogiso H, Ito H, Ando T, Arioka Y, Kanbe A, Ando K, Ishikawa T, Saito K, Hara A, Moriawaki H, Shimizu M, Seishima M. The Deficiency of Indoleamine 2,3-Dioxygenase Aggravates the CCl4-Induced Liver Fibrosis in Mice. *PLoS One* 2016; 11: e0162183 [PMID: 27598994 DOI: 10.1371/journal.pone.0162183]
 - 23 Poornasjedi-Meibod MS, Hartwell R, Kilani RT, Ghahary A. Anti-scarring properties of different tryptophan derivatives. *PLoS One* 2014; 9: e91955 [PMID: 24637853 DOI: 10.1371/journal.pone.0091955]
 - 24 Clària J, Moreau R, Fenaille F, Amorós A, Junot C, Gronbaek H, Coenraad MJ, Pruvost A, Gheffas A, Chu-Van E, López-Vicario C, Oettl K, Caraceni P, Alessandria C, Trebicka J, Pavesi M, Deulofeu C, Albillos A, Gustot T, Welzel TM, Fernández J, Stauber RE, Saliba F, Butin N, Colsch B, Moreno C, Durand F, Nevens F, Bañares R, Bente D, Ginès P, Gerbes A, Jalan R, Angeli P, Bernardi M, Arroyo V; CANONIC Study Investigators of the EASL Clif Consortium, Grifols Chair and the European Foundation for the Study of Chronic Liver Failure (EF Clif). Orchestration of Tryptophan-Kynurenine Pathway, Acute Decompensation, and Acute-on-Chronic Liver Failure in Cirrhosis. *Hepatology* 2019; 69: 1686-1701 [PMID: 30521097 DOI: 10.1002/hep.30363]
 - 25 Beaumont M, Neyrinck AM, Olivares M, Rodriguez J, de Rocca Serra A, Roumain M, Bindels LB, Cani PD, Evenepoel P, Muccioli GG, Demoulin JB, Delzenne NM. The gut microbiota metabolite indole alleviates liver inflammation in mice. *FASEB J* 2018; 32: f201800544 [PMID: 29906245 DOI: 10.1096/fj.201800544]
 - 26 Zhuang H, Ren X, Jiang F, Zhou P. Indole-3-propionic acid alleviates chondrocytes inflammation and osteoarthritis via the AhR/NF- κ B axis. *Mol Med* 2023; 29: 17 [PMID: 36721094 DOI: 10.1186/s10020-023-00614-9]
 - 27 Zhuang H, Li B, Xie T, Xu C, Ren X, Jiang F, Lei T, Zhou P. Indole-3-aldehyde alleviates chondrocytes inflammation through the AhR-NF- κ B signalling pathway. *Int Immunopharmacol* 2022; 113: 109314 [PMID: 36252481 DOI: 10.1016/j.intimp.2022.109314]
 - 28 Krishnan S, Ding Y, Saeidi N, Choi M, Sridharan GV, Sherr DH, Yarmush ML, Alaniz RC, Jayaraman A, Lee K. Gut Microbiota-Derived Tryptophan Metabolites Modulate Inflammatory Response in Hepatocytes and Macrophages. *Cell Rep* 2019; 28: 3285 [PMID: 31533048 DOI: 10.1016/j.celrep.2019.08.080]
 - 29 Yan J, Tung HC, Li S, Niu Y, Garbacz WG, Lu P, Bi Y, Li Y, He J, Xu M, Ren S, Monga SP, Schwabe RF, Yang D, Xie W. Aryl Hydrocarbon Receptor Signaling Prevents Activation of Hepatic Stellate Cells and Liver Fibrogenesis in Mice. *Gastroenterology* 2019; 157: 793-806.e14 [PMID: 31170413 DOI: 10.1053/j.gastro.2019.05.066]
 - 30 Veldhoen M, Hirota K, Westendorf AM, Buer J, Dumoutier L, Renaud JC, Stockinger B. The aryl hydrocarbon receptor links TH17-cell-mediated autoimmunity to environmental toxins. *Nature* 2008; 453: 106-109 [PMID: 18362914 DOI: 10.1038/nature06881]
 - 31 Eyerich K, Dimartino V, Cavani A. IL-17 and IL-22 in immunity: Driving protection and pathology. *Eur J Immunol* 2017; 47: 607-614 [PMID: 28295238 DOI: 10.1002/eji.201646723]
 - 32 Sonnenberg GF, Fouser LA, Artis D. Border patrol: regulation of immunity, inflammation and tissue homeostasis at barrier surfaces by IL-22. *Nat Immunol* 2011; 12: 383-390 [PMID: 21502992 DOI: 10.1038/ni.2025]
 - 33 Dudakov JA, Hanash AM, van den Brink MR. Interleukin-22: immunobiology and pathology. *Annu Rev Immunol* 2015; 33: 747-785 [PMID: 25706098 DOI: 10.1146/annurev-immunol-032414-112123]
 - 34 Ki SH, Park O, Zheng M, Morales-Ibanez O, Kolls JK, Bataller R, Gao B. Interleukin-22 treatment ameliorates alcoholic liver injury in a murine model of chronic-binge ethanol feeding: role of signal transducer and activator of transcription 3. *Hepatology* 2010; 52: 1291-1300 [PMID: 20842630 DOI: 10.1002/hep.23837]
 - 35 Zhao J, Zhang Z, Luan Y, Zou Z, Sun Y, Li Y, Jin L, Zhou C, Fu J, Gao B, Fu Y, Wang FS. Pathological functions of interleukin-22 in chronic liver inflammation and fibrosis with hepatitis B virus infection by promoting T helper 17 cell recruitment. *Hepatology* 2014; 59: 1331-1342 [PMID: 24677193 DOI: 10.1002/hep.26916]
 - 36 Wu LY, Liu S, Liu Y, Guo C, Li H, Li W, Jin X, Zhang K, Zhao P, Wei L, Zhao J. Up-regulation of interleukin-22 mediates liver fibrosis via activating hepatic stellate cells in patients with hepatitis C. *Clin Immunol* 2015; 158: 77-87 [PMID: 25771172 DOI: 10.1016/j.clim.2015.03.003]
 - 37 Flannigan KL, Nieves KM, Szczepanski HE, Serra A, Lee JW, Alston LA, Ramay H, Mani S, Hirota SA. The Pregnane X Receptor and Indole-3-Propionic Acid Shape the Intestinal Mesenchyme to Restrain Inflammation and Fibrosis. *Cell Mol Gastroenterol Hepatol* 2023; 15: 765-795 [PMID: 36309199 DOI: 10.1016/j.jcmgh.2022.10.014]
 - 38 Li J, Zhang L, Wu T, Li Y, Zhou X, Ruan Z. Indole-3-propionic Acid Improved the Intestinal Barrier by Enhancing Epithelial Barrier and Mucus Barrier. *J Agric Food Chem* 2021; 69: 1487-1495 [PMID: 33356219 DOI: 10.1021/acs.jafc.0c05205]
 - 39 Wlodarska M, Luo C, Kolde R, d'Hennezel E, Annand JW, Heim CE, Krastel P, Schmitt EK, Omar AS, Creasey EA, Garner AL, Mohammadi S, O'Connell DJ, Abubucker S, Arthur TD, Franzosa EA, Huttenhower C, Murphy LO, Haiser HJ, Vlamakis H, Porter JA, Xavier RJ. Indoleacrylic Acid Produced by Commensal *Peptostreptococcus* Species Suppresses Inflammation. *Cell Host Microbe* 2017; 22: 25-37.e6 [PMID: 28704649 DOI: 10.1016/j.chom.2017.06.007]
 - 40 Silveira MAD, Bilodeau S, Greten TF, Wang XW, Trinchieri G. The gut-liver axis: host microbiota interactions shape hepatocarcinogenesis. *Trends Cancer* 2022; 8: 583-597 [PMID: 35331674 DOI: 10.1016/j.trecan.2022.02.009]
 - 41 Bosi A, Banfi D, Bistoletti M, Giaroni C, Baj A. Tryptophan Metabolites Along the Microbiota-Gut-Brain Axis: An Interkingdom Communication System Influencing the Gut in Health and Disease. *Int J Tryptophan Res* 2020; 13: 1178646920928984 [PMID: 32577079 DOI: 10.1177/1178646920928984]
 - 42 Wan S, Huang C, Wang A, Zhu X. Ursolic acid improves the bacterial community mapping of the intestinal tract in liver fibrosis mice. *PeerJ* 2020; 8: e9050 [PMID: 32355580 DOI: 10.7717/peerj.9050]
 - 43 Nie Y, Liu Q, Zhang W, Wan Y, Huang C, Zhu X. Ursolic acid reverses liver fibrosis by inhibiting NOX4/NLRP3 inflammasome pathways and bacterial dysbiosis. *Gut Microbes* 2021; 13: 1972746 [PMID: 34530693 DOI: 10.1080/19490976.2021.1972746]
 - 44 Russell WR, Duncan SH, Scobbie L, Duncan G, Cantlay L, Calder AG, Anderson SE, Flint HJ. Major phenylpropanoid-derived metabolites in the human gut can arise from microbial fermentation of protein. *Mol Nutr Food Res* 2013; 57: 523-535 [PMID: 23349065 DOI: 10.1002/mnfr.201200594]
 - 45 Devlin AS, Marcobal A, Dodd D, Nayfach S, Plummer N, Meyer T, Pollard KS, Sonnenburg JL, Fischbach MA. Modulation of a Circulating Uremic Solute via Rational Genetic Manipulation of the Gut Microbiota. *Cell Host Microbe* 2016; 20: 709-715 [PMID: 27916477 DOI: 10.1016/j.chom.2016.10.021]
 - 46 Choi W, Namkung J, Hwang I, Kim H, Lim A, Park HJ, Lee HW, Han KH, Park S, Jeong JS, Bang G, Kim YH, Yadav VK, Karsenty G, Ju YS, Choi C, Suh JM, Park JY, Park S, Kim H. Serotonin

- signals through a gut-liver axis to regulate hepatic steatosis. *Nat Commun* 2018; 9: 4824 [PMID: 30446669 DOI: 10.1038/s41467-018-07287-7]
- 47 Kimura M, Moteki H, Ogihara M. Role of Hepatocyte Growth Regulators in Liver Regeneration. *Cells* 2023; 12 [PMID: 36672143 DOI: 10.3390/cells12020208]
- 48 Kyritsi K, Chen L, O'Brien A, Francis H, Hein TW, Venter J, Wu N, Ceci L, Zhou T, Zawieja D, Gashev AA, Meng F, Invernizzi P, Fabris L, Wu C, Skill NJ, Saxena R, Liangpunsakul S, Alpini G, Glaser SS. Modulation of the Tryptophan Hydroxylase 1/Monoamine Oxidase-A/5-Hydroxytryptamine/5-Hydroxytryptamine Receptor 2A/2B/2C Axis Regulates Biliary Proliferation and Liver Fibrosis During Cholestasis. *Hepatology* 2020; 71: 990-1008 [PMID: 31344280 DOI: 10.1002/hep.30880]
- 49 Berbets AM, Davydenko IS, Barbe AM, Konkov DH, Albota OM, Yuzko OM. Melatonin 1A and 1B Receptors' Expression Decreases in the Placenta of Women with Fetal Growth Restriction. *Reprod Sci* 2021; 28: 197-206 [PMID: 32804352 DOI: 10.1007/s43032-020-00285-5]
- 50 Ruddell RG, Oakley F, Hussain Z, Yeung I, Bryan-Lluka LJ, Ramm GA, Mann DA. A role for serotonin (5-HT) in hepatic stellate cell function and liver fibrosis. *Am J Pathol* 2006; 169: 861-876 [PMID: 16936262 DOI: 10.2353/ajpath.2006.050767]
- 51 Polat B, Halici Z, Cadirci E, Karakus E, Bayir Y, Albayrak A, Unal D. Liver 5-HT₇ receptors: A novel regulator target of fibrosis and inflammation-induced chronic liver injury in vivo and in vitro. *Int Immunopharmacol* 2017; 43: 227-235 [PMID: 28043031 DOI: 10.1016/j.intimp.2016.12.023]
- 52 Zeybel M, Altay O, Arif M, Li X, Yang H, Fredolini C, Akyildiz M, Saglam B, Gonenli MG, Ural D, Kim W, Schwenk JM, Zhang C, Shoaie S, Nielsen J, Uhlén M, Borén J, Mardinoglu A. Combined metabolic activators therapy ameliorates liver fat in nonalcoholic fatty liver disease patients. *Mol Syst Biol* 2021; 17: e10459 [PMID: 34694070 DOI: 10.15252/msb.202110459]
- 53 Liu H, Liu L, Fletcher BS, Visner GA. Sleeping Beauty-based gene therapy with indoleamine 2,3-dioxygenase inhibits lung allograft fibrosis. *FASEB J* 2006; 20: 2384-2386 [PMID: 17015408 DOI: 10.1096/fj.06-6228fje]
- 54 Choi WG, Choi W, Oh TJ, Cha HN, Hwang I, Lee YK, Lee SY, Shin H, Lim A, Ryu D, Suh JM, Park SY, Choi SH, Kim H. Inhibiting serotonin signaling through HTR2B in visceral adipose tissue improves obesity-related insulin resistance. *J Clin Invest* 2021; 131 [PMID: 34618686 DOI: 10.1172/JCI145331]
- 55 Kim DC, Jun DW, Kwon YI, Lee KN, Lee HL, Lee OY, Yoon BC, Choi HS, Kim EK. 5-HT_{2A} receptor antagonists inhibit hepatic stellate cell activation and facilitate apoptosis. *Liver Int* 2013; 33: 535-543 [PMID: 23362947 DOI: 10.1111/liv.12110]
- 56 Sun M, Ma N, He T, Johnston LJ, Ma X. Tryptophan (Trp) modulates gut homeostasis via aryl hydrocarbon receptor (AhR). *Crit Rev Food Sci Nutr* 2020; 60: 1760-1768 [PMID: 30924357 DOI: 10.1080/10408398.2019.1598334]

科学编辑: 张砚梁 制作编辑: 张砚梁





Published by **Baishideng Publishing Group Inc**
7041 Koll Center Parkway, Suite 160, Pleasanton,
CA 94566, USA
Telephone: +1-925-3991568
E-mail: bpgoffice@wjgnet.com
https://www.wjgnet.com



ISSN 1009-3079

